

Supplementary material has been published as submitted. It has not been copyedited or typeset by Journal of Plastic Surgery and Hand Surgery.

Appendices

Northern Health Care Region							
Year of birth	All births (%)	CL/P (%)	CP (%)	CL±P (%)	BCL±P (%)	UCLP (%)	BCLP (%)
2000	7,928 (4.4)	14 (4.5)	7 (4.8)	7 (4.2)	2 (5.4)	2 (2.7)	2 (6.9)
2001	8,080 (4.3)	16 (5.2)	5 (3.4)	11 (6.6)	1 (2.7)	7 (9.6)	1 (3.4)
2002	8,239 (4.5)	22 (7.1)	8 (5.5)	14 (8.4)	3 (8.1)	8 (11.0)	1 (3.4)
2003	8,496 (4.6)	11 (3.6)	3 (2.1)	8 (4.8)	2 (5.4)	2 (2.7)	2 (6.9)
2004	8,565 (4.6)	23 (7.5)	10 (6.9)	13 (7.8)	4 (10.8)	5 (6.8)	2 (6.9)
2005	8,423 (4.6)	22 (7.1)	14 (9.7)	8 (4.8)	3 (8.1)	3 (4.1)	2 (6.9)
2006	8,905 (4.8)	22 (7.1)	9 (6.2)	13 (7.8)	5 (13.5)	5 (6.8)	5 (17.2)
2007	8,687 (4.7)	12 (3.9)	7 (4.8)	6 (3.6)	2 (5.4)	2 (2.7)	1 (3.4)
2008	8,883 (4.8)	14 (4.5)	9 (6.2)	7 (4.2)	0 (0.0)	3 (4.1)	0 (0.0)
2009	8,960 (4.9)	9 (2.9)	1 (0.7)	8 (4.8)	2 (5.4)	2 (2.7)	2 (6.9)
2010	9,006 (4.9)	17 (5.5)	8 (5.5)	9 (5.4)	1 (2.7)	6 (8.2)	1 (3.4)
2011	8,882 (4.8)	22 (7.1)	11 (7.6)	12 (7.2)	1 (2.7)	6 (8.2)	0 (0.0)
2012	8,722 (4.7)	9 (2.9)	3 (2.1)	6 (3.6)	2 (5.4)	2 (2.7)	2 (6.9)
2013	8,906 (4.8)	11 (3.6)	7 (4.8)	4 (2.4)	1 (2.7)	2 (2.7)	1 (3.4)
2014	8,851 (4.8)	9 (2.9)	6 (4.1)	3 (1.8)	1 (2.7)	2 (2.7)	1 (3.4)
2015	9,040 (4.9)	18 (5.8)	8 (5.5)	10 (6.0)	1 (2.7)	5 (6.8)	1 (3.4)
2016	9,354 (5.1)	12 (3.9)	4 (2.8)	8 (4.8)	1 (2.7)	3 (4.1)	0 (0.0)
2017	9,234 (5.0)	16 (5.2)	10 (6.9)	6 (3.6)	3 (8.1)	1 (1.4)	3 (10.3)
2018	9,195 (5.0)	8 (2.6)	4 (2.8)	4 (2.4)	0 (0.0)	3 (4.1)	0 (0.0)
2019	9,131 (5.0)	10 (3.2)	5 (3.4)	5 (3.0)	1 (2.7)	2 (2.7)	1 (3.4)
2020	8,768 (4.8)	11 (3.6)	6 (4.1)	5 (3.0)	1 (2.7)	2 (2.7)	1 (3.4)
2000-2020	184,255 (100.0)	308 (100.0)	145 (100.0)	167 (100.0)	37 (100.0)	73 (100.0)	29 (100.0)

Appendix 1 – Dataset characteristics, Northern health care region.

Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Central Health Care Region							
Year of birth	All births (%)	CL/P (%)	CP (%)	CL±P (%)	BCL±P (%)	UCLP (%)	BCLP (%)
2000	17,739 (4.1)	28 (4.3)	12 (4.5)	16 (4.2)	1 (1.2)	8 (5.2)	1 (1.6)
2001	17,714 (4.1)	27 (4.2)	10 (3.7)	17 (4.4)	1 (1.2)	9 (5.9)	1 (1.6)
2002	18,322 (4.2)	34 (5.3)	12 (4.5)	22 (5.7)	8 (9.8)	7 (4.9)	7 (11.1)
2003	19,200 (4.4)	30 (4.7)	9 (3.4)	22 (5.7)	4 (4.9)	9 (5.9)	4 (6.3)
2004	19,198 (4.4)	25 (3.9)	14 (5.2)	12 (3.1)	2 (2.4)	4 (3.6)	1 (1.6)
2005	19,277 (4.5)	35 (5.4)	16 (6.0)	19 (5.0)	5 (6.1)	5 (3.3)	5 (7.9)
2006	19,784 (4.6)	49 (7.6)	18 (6.7)	33 (8.6)	6 (7.3)	10 (6.5)	3 (4.8)
2007	20,268 (4.7)	41 (6.4)	15 (5.6)	26 (6.8)	5 (6.1)	8 (5.2)	2 (3.2)
2008	20,480 (4.7)	25 (3.9)	7 (2.6)	18 (4.7)	6 (7.3)	6 (3.9)	6 (9.5)
2009	20,681 (4.8)	39 (6.1)	20 (7.5)	19 (5.0)	4 (4.9)	6 (3.9)	3 (4.8)
2010	21,366 (5.0)	28 (4.3)	12 (4.5)	17 (4.4)	3 (3.7)	9 (5.9)	2 (3.2)
2011	20,710 (4.8)	28 (4.3)	11 (4.1)	17 (4.4)	3 (3.7)	9 (5.9)	3 (4.8)
2012	21,141 (4.9)	36 (5.6)	18 (6.7)	18 (4.7)	5 (6.1)	6 (3.9)	4 (6.3)
2013	20,558 (4.8)	23 (3.6)	11 (4.1)	12 (3.1)	3 (3.7)	5 (3.3)	2 (3.2)
2014	21,357 (4.9)	29 (4.5)	12 (4.5)	17 (4.4)	5 (6.1)	6 (3.9)	3 (4.8)
2015	22,085 (5.1)	33 (5.1)	14 (5.2)	19 (5.0)	3 (3.7)	6 (3.9)	3 (4.8)
2016	22,487 (5.2)	31 (4.8)	15 (5.6)	16 (4.2)	3 (3.7)	9 (5.9)	3 (4.8)
2017	22,648 (5.2)	15 (2.3)	9 (3.4)	7 (1.8)	1 (1.2)	2 (1.3)	0 (0.0)
2018	22,791 (5.3)	26 (4.0)	12 (4.5)	14 (3.7)	2 (2.4)	9 (5.9)	1 (1.6)
2019	22,183 (5.1)	38 (5.9)	13 (4.9)	25 (6.5)	6 (7.3)	12 (7.8)	4 (6.3)
2020	21,603 (5.0)	24 (3.7)	7 (2.6)	17 (4.4)	6 (7.3)	8 (5.2)	5 (7.9)
2000-2020	431,592 (100.0)	644 (100.0)	267 (100.0)	383 (100.0)	82 (100.0)	153 (100.0)	63 (100.0)

Appendix 2 – Dataset characteristics, Central health care region.

Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Stockholm Health Care Region							
Year of birth	All births (%)	CL/P (%)	CP (%)	CL±P (%)	BCL±P (%)	UCLP (%)	BCLP (%)
2000	21,396 (3.8)	23 (2.9)	12 (3.4)	11 (2.4)	2 (2.3)	4 (2.3)	2 (2.7)
2001	21,994 (3.9)	31 (3.9)	12 (3.4)	19 (4.1)	3 (3.4)	7 (4.1)	1 (1.4)
2002	23,359 (4.1)	33 (4.1)	13 (3.7)	20 (4.4)	5 (5.7)	7 (4.1)	4 (5.5)
2003	24,234 (4.2)	32 (4.0)	15 (4.3)	17 (3.7)	4 (4.5)	5 (2.9)	4 (5.5)
2004	25,793 (4.5)	34 (4.2)	14 (4.0)	22 (4.8)	3 (3.4)	9 (5.3)	2 (2.7)
2005	25,821 (4.5)	39 (4.8)	13 (3.7)	26 (5.7)	6 (6.8)	12 (7.0)	4 (5.5)
2006	25,980 (4.6)	41 (5.1)	18 (5.2)	23 (5.0)	2 (2.3)	9 (5.3)	2 (2.7)
2007	26,275 (4.6)	47 (5.8)	25 (7.2)	22 (4.8)	6 (6.8)	6 (3.5)	5 (6.8)
2008	27,265 (4.8)	37 (4.6)	19 (5.5)	18 (3.9)	4 (4.5)	7 (4.1)	3 (4.1)
2009	26,831 (4.7)	42 (5.2)	15 (4.3)	27 (5.9)	8 (9.1)	11 (6.4)	6 (8.2)
2010	29,776 (5.2)	44 (5.5)	19 (5.5)	25 (5.4)	4 (4.5)	12 (7.0)	4 (5.5)
2011	28,685 (5.0)	39 (4.8)	15 (4.3)	24 (5.2)	7 (8.0)	5 (2.9)	6 (8.2)
2012	28,999 (5.1)	41 (5.1)	18 (5.2)	23 (5.0)	7 (8.0)	7 (4.1)	6 (8.2)
2013	29,683 (5.2)	42 (5.2)	21 (6.0)	21 (4.6)	8 (9.1)	5 (2.9)	7 (9.6)
2014	29,685 (5.2)	35 (4.3)	13 (3.7)	22 (4.8)	3 (3.4)	10 (5.8)	3 (4.1)
2015	29,339 (5.1)	42 (5.2)	13 (3.7)	29 (6.3)	2 (2.3)	15 (8.8)	2 (2.7)
2016	29,759 (5.2)	42 (5.2)	17 (4.9)	25 (5.4)	4 (4.5)	7 (4.1)	3 (4.1)
2017	29,130 (5.1)	45 (5.6)	17 (4.9)	28 (6.1)	2 (2.3)	11 (6.4)	1 (1.4)
2018	29,021 (5.1)	33 (4.1)	15 (4.3)	18 (3.9)	3 (3.4)	9 (5.3)	3 (4.1)
2019	28,710 (5.0)	30 (3.7)	12 (3.4)	18 (3.9)	2 (2.3)	6 (3.5)	2 (2.7)
2020	28,736 (5.0)	53 (6.6)	32 (9.2)	21 (4.6)	3 (3.4)	7 (4.1)	3 (4.1)
2000-2020	570,471 (100.0)	805 (100.0)	348 (100.0)	459 (100.0)	88 (100.0)	171 (100.0)	73 (100.0)

Appendix 3 – Dataset characteristics, Stockholm health care region.

Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Western Health Care Region							
Year of birth	All births (%)	CL/P (%)	CP (%)	CL±P (%)	BCL±P (%)	UCLP (%)	BCLP (%)
2000	16,848 (4.0)	25 (4.0)	8 (3.4)	17 (4.3)	8 (10.0)	3 (1.9)	8 (11.8)
2001	17,131 (4.1)	21 (3.4)	9 (3.9)	12 (3.1)	2 (2.5)	3 (1.9)	2 (2.9)
2002	17,572 (4.2)	22 (3.6)	9 (3.9)	13 (3.3)	3 (3.8)	4 (2.5)	3 (4.4)
2003	18,186 (4.3)	23 (3.7)	8 (3.4)	15 (3.8)	5 (6.3)	5 (3.1)	5 (7.4)
2004	18,528 (4.4)	33 (5.3)	9 (3.9)	26 (6.6)	3 (3.8)	12 (7.4)	3 (4.4)
2005	18,634 (4.5)	29 (4.7)	9 (3.9)	20 (5.1)	6 (7.5)	9 (5.6)	3 (4.4)
2006	19,564 (4.7)	33 (5.3)	14 (6.0)	19 (4.8)	5 (6.3)	11 (6.8)	4 (5.9)
2007	19,995 (4.8)	26 (4.2)	5 (2.1)	22 (5.6)	2 (2.5)	11 (6.8)	2 (2.9)
2008	20,035 (4.8)	41 (6.6)	12 (5.2)	31 (7.9)	3 (3.8)	10 (6.2)	1 (1.5)
2009	20,792 (5.0)	26 (4.2)	9 (3.9)	17 (4.3)	5 (6.3)	6 (3.7)	4 (5.9)
2010	21,355 (5.1)	37 (6.0)	13 (5.6)	24 (6.1)	9 (11.3)	7 (4.3)	9 (13.2)
2011	20,421 (4.9)	40 (6.5)	14 (6.0)	26 (6.6)	3 (3.8)	15 (9.3)	2 (2.9)
2012	20,455 (4.9)	27 (4.4)	9 (3.9)	18 (4.6)	4 (5.0)	8 (4.9)	4 (5.9)
2013	20,511 (4.9)	18 (2.9)	6 (2.6)	12 (3.1)	2 (2.5)	4 (2.5)	2 (2.9)
2014	20,977 (5.0)	29 (4.7)	12 (5.2)	17 (4.3)	4 (5.0)	8 (4.9)	4 (5.9)
2015	21,030 (5.0)	37 (6.0)	16 (6.9)	22 (5.6)	3 (3.8)	10 (6.2)	2 (2.9)
2016	21,668 (5.2)	41 (6.6)	20 (8.6)	21 (5.4)	5 (6.3)	9 (5.6)	4 (5.9)
2017	21,092 (5.0)	26 (4.2)	11 (4.7)	15 (3.8)	3 (3.8)	8 (4.9)	2 (2.9)
2018	21,349 (5.1)	20 (3.2)	10 (4.3)	10 (2.6)	3 (3.8)	5 (3.1)	2 (2.9)
2019	21,236 (5.1)	29 (4.7)	14 (6.0)	16 (4.1)	0 (0.0)	7 (4.3)	0 (0.0)
2020	21,096 (5.0)	35 (5.7)	16 (6.9)	19 (4.8)	2 (2.5)	7 (4.3)	2 (2.9)
2000-2020	418,475 (100.0)	618 (100.0)	233 (100.0)	392 (100.0)	80 (100.0)	162 (100.0)	68 (100.0)

Appendix 4 – Dataset characteristics, Western health care region.

Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Southeastern Health Care Region							
Year of birth	All births (%)	CL/P (%)	CP (%)	CL±P (%)	BCL±P (%)	UCLP (%)	BCLP (%)
2000	9,221 (4.1)	11 (3.0)	3 (2.2)	8 (3.4)	3 (4.9)	3 (3.4)	3 (6.0)
2001	9,031 (4.0)	18 (4.9)	7 (5.1)	11 (4.6)	2 (3.3)	5 (5.6)	2 (4.0)
2002	9,729 (4.3)	19 (5.1)	7 (5.1)	13 (5.5)	4 (6.6)	5 (5.6)	4 (8.0)
2003	9,834 (4.4)	17 (4.6)	5 (3.6)	13 (5.5)	3 (4.9)	3 (3.4)	2 (4.0)
2004	10,002 (4.5)	17 (4.6)	7 (5.1)	10 (4.2)	3 (4.9)	4 (4.5)	3 (6.0)
2005	10,031 (4.5)	18 (4.9)	8 (5.8)	10 (4.2)	4 (6.6)	2 (2.2)	3 (6.0)
2006	10,349 (4.6)	19 (5.1)	6 (4.4)	14 (5.9)	1 (1.6)	9 (10.1)	0 (0.0)
2007	10,473 (4.7)	16 (4.3)	6 (4.4)	10 (4.2)	3 (4.9)	5 (5.6)	3 (6.0)
2008	10,592 (4.7)	18 (4.9)	5 (3.6)	13 (5.5)	3 (4.9)	3 (3.4)	2 (4.0)
2009	10,853 (4.8)	11 (3.0)	5 (3.6)	6 (2.5)	3 (4.9)	1 (1.1)	1 (2.0)
2010	11,181 (5.0)	21 (5.7)	4 (2.9)	17 (7.2)	2 (3.3)	7 (7.9)	2 (4.0)
2011	10,894 (4.9)	17 (4.6)	8 (5.8)	10 (4.2)	3 (4.9)	2 (2.2)	2 (4.0)
2012	11,233 (5.0)	27 (7.3)	6 (4.4)	21 (8.9)	4 (6.6)	9 (10.1)	3 (6.0)
2013	11,085 (4.9)	22 (6.0)	9 (6.6)	14 (5.9)	6 (9.8)	3 (3.4)	4 (8.0)
2014	10,051 (4.5)	19 (5.1)	7 (5.1)	12 (5.1)	4 (6.6)	4 (4.5)	4 (8.0)
2015	11,581 (5.2)	21 (5.7)	10 (7.3)	11 (4.6)	3 (4.9)	5 (5.6)	3 (6.0)
2016	11,805 (5.3)	7 (1.9)	6 (4.4)	1 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
2017	11,560 (5.2)	18 (4.9)	6 (4.4)	12 (5.1)	3 (4.9)	6 (6.7)	3 (6.0)
2018	11,664 (5.2)	22 (6.0)	9 (6.6)	13 (5.5)	2 (3.3)	5 (5.6)	2 (4.0)
2019	11,483 (5.1)	17 (4.6)	5 (3.6)	12 (5.1)	4 (6.6)	5 (5.6)	3 (6.0)
2020	11,465 (5.1)	14 (3.8)	8 (5.8)	6 (2.5)	1 (1.6)	3 (3.4)	1 (2.0)
2000-2020	224,117 (100.0)	369 (100.0)	137 (100.0)	237 (100.0)	61 (100.0)	89 (100.0)	50 (100.0)

Appendix 5 – Dataset characteristics, Southeastern health care region.

Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Southern Health Care Region							
Year of birth	All births (%)	CL/P (%)	CP (%)	CL±P (%)	BCL±P (%)	UCLP (%)	BCLP (%)
2000	15,189 (3.8)	24 (4.8)	11 (4.7)	13 (3.2)	5 (5.0)	4 (2.8)	4 (5.3)
2001	15,215 (3.8)	20 (3.1)	5 (2.1)	15 (3.7)	6 (6.0)	7 (4.9)	5 (6.6)
2002	16,165 (4.0)	29 (4.6)	8 (3.4)	22 (5.4)	5 (5.0)	8 (5.6)	4 (5.3)
2003	16,784 (4.2)	29 (4.6)	5 (2.1)	24 (5.9)	3 (3.0)	13 (9.2)	2 (2.6)
2004	17,104 (4.3)	43 (6.8)	15 (6.4)	28 (6.9)	9 (9.0)	8 (5.9)	5 (6.6)
2005	16,877 (4.2)	26 (4.1)	7 (3.0)	19 (4.7)	3 (3.0)	9 (6.3)	2 (2.6)
2006	18,510 (4.6)	30 (4.7)	5 (2.1)	25 (6.2)	7 (7.0)	7 (4.9)	7 (9.2)
2007	18,678 (4.7)	33 (5.2)	7 (3.0)	26 (6.4)	7 (7.0)	10 (7.0)	6 (7.9)
2008	19,294 (4.8)	34 (5.3)	16 (6.8)	18 (4.4)	6 (6.0)	7 (4.9)	4 (5.3)
2009	19,855 (5.0)	27 (4.2)	7 (3.0)	20 (4.9)	9 (9.0)	3 (2.1)	8 (10.5)
2010	20,543 (5.1)	38 (6.0)	21 (8.9)	18 (4.4)	1 (1.0)	7 (4.9)	1 (1.3)
2011	19,851 (5.0)	33 (5.2)	15 (6.4)	20 (4.9)	7 (7.0)	6 (4.2)	5 (6.6)
2012	19,894 (5.0)	26 (4.1)	9 (3.8)	17 (4.2)	7 (7.0)	4 (2.8)	4 (5.3)
2013	20,203 (5.1)	30 (4.7)	14 (6.0)	16 (3.9)	1 (1.0)	5 (3.5)	0 (0.0)
2014	20,749 (5.2)	41 (6.4)	17 (7.2)	24 (5.9)	7 (7.0)	6 (4.2)	6 (7.9)
2015	20,610 (5.2)	37 (5.8)	13 (5.5)	24 (5.9)	6 (6.0)	8 (5.6)	5 (6.6)
2016	21,257 (5.3)	32 (5.0)	14 (6.0)	19 (4.7)	3 (3.0)	5 (3.5)	3 (3.9)
2017	20,691 (5.2)	24 (3.8)	12 (5.1)	12 (3.0)	1 (1.0)	4 (2.8)	0 (0.0)
2018	20,943 (5.2)	24 (3.8)	13 (5.5)	11 (2.7)	0 (0.0)	7 (4.9)	0 (0.0)
2019	20,911 (5.2)	23 (3.6)	12 (5.1)	11 (2.7)	5 (5.0)	1 (0.7)	4 (5.3)
2020	20,661 (5.2)	33 (5.2)	9 (3.8)	24 (5.9)	2 (2.0)	13 (9.2)	1 (1.3)
2000-2020	399,984 (100.0)	636 (100.0)	235 (100.0)	406 (100.0)	100 (100.0)	142 (100.0)	76 (100.0)

Appendix 6 – Dataset characteristics, Southern health care region.

Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Figure Legends

Appendix 1

Title: Dataset characteristics, Northern health care region.

Legend: Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Appendix 2

Title: Dataset characteristics, Central health care region.

Legend: Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Appendix 3

Title: Dataset characteristics, Stockholm health care region.

Legend: Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Appendix 4

Title: Dataset characteristics, Western health care region.

Legend: Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Appendix 5

Title: Dataset characteristics, Southeastern health care region.

Legend: Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.

Appendix 6

Title: Dataset characteristics, Southern health care region.

Legend: Abbreviations: CL/P = cleft lip and/or palate. CP = cleft palate without cleft lip. CL±P = cleft lip with/without cleft palate. BCL±P = bilateral cleft lip with/without cleft palate. UCLP = unilateral cleft lip and palate. BCLP = bilateral cleft lip and palate.