

Table SI. Characteristics of study population

Characteristics	
Age at diagnosis, years, mean \pm SD, continuous variable	69.3 \pm 14.7
Sex, <i>n</i> (%)	
Male	212 (52.2)
Female	194 (47.8)
Educational level, <i>n</i> (%)	
No education	24 (5.9)
Primary school	98 (24.1)
Secondary school	133 (32.8)
Higher education	151 (37.2)
Employment situation, <i>n</i> (%)	
Unemployed	40 (9.9)
Active	104 (26.6)
Retired	262 (64.5)
Marital status, <i>n</i> (%)	
Single	40 (9.9)
Married or part of a couple	261 (64.3)
Widowed or divorced	105 (25.8)
Lives alone, <i>n</i> (%)	
Yes	80 (19.7)
No	326 (80.3)
Skin phototype, <i>n</i> (%)	
I	18 (4.4)
II	178 (43.8)
III	158 (38.9)
IV	46 (11.3)
V	6 (1.5)
VI	0 (0)
Type of tumour, <i>n</i> (%)	
Melanoma	33 (8.1)
Basal cell carcinoma	271 (66.7)
Squamous cell carcinoma	102 (25.1)
Long axis diameter, mm, mean \pm SD, continuous variable	10.1 \pm 5.8
Location, <i>n</i> (%)	
Face	185 (45.6)
Scalp and neck	53 (13.1)
Anterior trunk	34 (8.4)
Back	62 (15.3)
Upper extremities	39 (9.6)
Lower extremities	33 (8.1)
Incidental, <i>n</i> (%)	
Yes	108 (26.6)
No	298 (73.4)
Time of disease evolution, <i>n</i> (%)	
Unknown	67 (16.5)
< 6 months	139 (34.2)
6–12 months	114 (28.1)
> 12 months	86 (21.2)
Symptoms, <i>n</i> (%)	
Recent appearance	58 (14.3)
Growth	116 (28.6)
Bleeding	41 (10.1)
Other	69 (17.0)
No	122 (30)
Personal history of skin cancer, <i>n</i> (%)	
Yes	181 (44.6)
No	225 (55.4)
Family history of skin cancer, <i>n</i> (%)	
Yes	160 (39.4)
No	246 (60.6)
History of sunburns, <i>n</i> (%)	
Yes	232 (57.1)
No	174 (42.9)
Immunosuppressed, <i>n</i> (%)	
Yes	43 (10.6)
No	363 (89.4)
Total, <i>n</i> (%)	406 (100)

SD: standard deviation.