


Supplementary Figures have been published as submitted. They have not been copyedited, typeset or checked for scientific content by Acta Dermato-Venereologica

Fig. S1. (a) Incidence and (b) prevalence of psoriatic arthritis (≥ 1 psoriatic arthritis diagnosis records (diagnosis is made by a dermatologist and/or rheumatologist)) from 2006 to 2017 for both males and females.

(a) Incidence



(b) Prevalence





Fig. S2. (a) Incidence and (b) prevalence of psoriatic arthritis (≥ 1 psoriatic arthritis diagnosis records (diagnosis is made by a dermatologist or rheumatologist)) by age at diagnosis for males and females.
 (a) Incidence



(b) Prevalence





Fig. S3. Age-specific (a) incidence and (b) prevalence of psoriatic arthritis (≥ 1 psoriatic arthritis diagnosis records (diagnosis is made by a dermatologist and/or rheumatologist)) in the total population between 2006 and 2017.

(a) Incidence



(b) Prevalence




Fig. S4. Temporal trends in mortality in patients with psoriasis (≥ 1 psoriasis diagnosis records (diagnosis is made by a dermatologist)) (case) and without psoriasis and psoriatic arthritis (control).




Fig. S5. Temporal trends in mortality in patients with psoriatic arthritis (≥ 1 psoriatic arthritis diagnosis records (diagnosis is made by a dermatologist or rheumatologist)) (case) and without psoriasis and psoriatic arthritis (control).

