

**Table SI. Assessment of the severity of generalized pustular psoriasis according to the Japanese Dermatological Association (4)**

<i>Skin symptoms</i>				
Percentage of body surface area	Severe	Moderate	Mild	None
Area of erythema (whole body)	3 (≥75%)	2 (<75% and ≥25%)	1 (<25%)	0
Area of erythema with pustules	3 (≥50%)	2 (<50% and ≥10%)	1 (<10%)	0
Area of oedema	3 (≥50%)	2 (<50% and ≥10%)	1 (<10%)	0
<i>Systemic symptoms and laboratory findings</i>				
Score	2	1	0	
Fever (°C)	≥ 38.5	37.0 to < 38.5	< 37.0	
White blood cell count (/ml)	≥ 15 000	10 000 to < 15 000	< 10 000	
CRP (mg/dl)	≥ 7.0	0.3 to < 7.0	< 0.3	
Serum albumin (g/dl)	< 3.0	3.0 to < 3.8	≥ 3.8	

Skin symptoms were evaluated by the percentage (%) of body surface area (maximum: 9 points). Systemic inflammation and hematological findings were evaluated as above (maximum: 8 points). The total severity scores were classified as "severe" (>11), "moderate" (7–10), and "mild" (<6) based on the skin symptoms and general laboratory findings