

Table SVII. Skin patch tests, overall and in strata of clinical and aetiological categories of chronic pruritus

	Total <i>n</i> ^b (%)	Clinical category			<i>p</i> -value ^a	Aetiological category				<i>p</i> -value ^a
		I: Pruritus on diseased skin <i>n</i> ^b (%)	II: Pruritus on non-diseased skin <i>n</i> ^b (%)	III: Chronic scratch lesions <i>n</i> ^b (%)		I: Dermatological <i>n</i> ^b (%)	II: Systemic <i>n</i> ^b (%)	III–IV: Neur/ Psyc <i>n</i> ^b (%)	V–VI: Mixed/ Other <i>n</i> ^b (%)	
Type IV hypersensitivity										
No	19 (59.4)	9 (56.2)	5 (71.4)	5 (55.6)	0.80	9 (56.2)	5 (83.3)	2 (100.0)	3 (37.5)	0.25
Yes	13 (40.6)	7 (43.8)	2 (28.6)	4 (44.4)		7 (43.8)	1 (16.7)	0 (0.0)	5 (62.5)	
Type I hypersensitivity										
No	15 (78.9)	5 (62.5)	4 (80.0)	6 (100.0)	0.31	5 (62.5)	4 (100.0)	2 (100.0)	4 (80.0)	0.69
Yes	4 (21.1)	3 (37.5)	1 (20.0)	0 (0.0)		3 (37.5)	0 (0.0)	0 (0.0)	1 (20.0)	

^aFisher's exact test. ^bNumbers may not add up to the total due to missing data.