

Supplementary Tables have been published as submitted, and have not been copyedited, typeset or checked for scientific content by Acta Dermato-Venereologica

Table SI. Descriptive statistics of pruritus descriptors for both baseline and follow-up data

	Baseline data for EFA					Follow-up data for CFA				
	N	mean	s.d.	skewness	kurtosis	N	mean	s.d.	skewness	kurtosis
Stinging	418	0.89	0.93	0.77	-0.37	349	0.89	0.91	0.71	-0.45
Stabbing	417	0.39	0.74	1.95	3.21	348	0.39	0.74	1.98	3.25
Burning	417	0.44	0.80	1.81	2.44	348	0.49	0.82	1.63	1.77
Annoying	418	1.40	0.97	0.08	-0.98	349	1.33	0.98	0.11	-1.02
Unbearable	417	1.65	0.99	-0.17	-1.00	350	1.59	1.03	-0.14	-1.11
Worrisome	418	1.20	1.01	0.30	-1.07	350	1.19	1.06	0.32	-1.16
Painful	417	0.57	0.82	1.41	1.28	349	0.55	0.83	1.36	0.90
Formication	418	0.83	0.93	0.89	-0.17	350	0.83	0.95	0.90	-0.23
Throbbing	417	0.55	0.85	1.45	1.21	348	0.54	0.83	1.46	1.21
Cold	417	0.25	0.62	2.85	8.29	349	0.27	0.63	2.61	6.71
Warm	419	0.99	0.97	0.57	-0.76	349	0.92	0.91	0.56	-0.75
Sexual dysfunction	326	0.11	0.31	2.50	4.26					
Sleep induction	417	0.89	0.66	0.12	-0.72					
Sleep maintenance	418	0.82	0.68	0.25	-0.87					
ItchyQoL	404	56.4	22.5	0.45	-0.69					

s.d.: standard deviation.

Table SII. Factor loading (regression coefficient between the descriptor and the factor) of exploratory factor analysis (RMSEA=0.072; CFI=0.965; SRMR=0.027)

	Factor Structure	
	Sensory	Affective
B_STING	0.618	0.496
B_STAB	0.790	0.444
B_BURN	0.769	0.456
B_ANNOY	0.473	0.775
B_UNBEAR	0.397	0.776
B_WORRY	0.473	0.805
B_PAIN	0.717	0.618
B_FORMI	0.580	0.518
B_THROB	0.780	0.581
B_COLD	0.722	0.379
B_WARM	0.479	0.519