

The format and content have not been edited by ActaDV.

Table SI

Clinical feature (Yes/No)	Demoscopic features (Yes/No)					<i>In situ</i> vs. Invasive		
Raised lesion	Only brown and/or black dermoscopic structures*	Extensive Regression >50%	Atypical blue-white structures	Shiny white lines	Polymorphous vessels	Assessment <i>in situ</i> or Invasive	Certainty level 1-5 (refers to <i>in situ</i> vs invasive)	If invasive estimated thickness (≤1.0 or >1.0 mm)

Table SII

Dermoscopic features	Sensitivity	Lower 95% CI	Upper 95% CI	Specificity	Lower 95% CI	Upper 95% CI
Only brown and/or black dermoscopic structures*	9.0%	7.3%	10.9%	40.7%	37.3%	44.2%
Extensive Regression >50%	21.5%	19.1%	24.2%	84.3%	81.6%	86.7%
Atypical blue-white structures	49.7%	46.6%	52.8%	97.5%	96.2%	98.4%
Shiny white lines	58.4%	55.3%	61.4%	91.7%	89.6%	93.4%
Polymorphous vessels	34.2%	31.3%	37.2%	97.4%	96.0%	98.3%
Clinical feature						
Raised lesion (Yes/No)	42.3%	39.3%	45.4%	96.7%	95.3%	97.8%

95% CI, 95% confidence interval.