

Table SII. Baseline demographic data for the patients with psoriasis treated with etanercept and the healthy controls

	Patients with psoriasis, n = 20						Healthy controls, n = 15						<i>p</i> -value
	Min.	Median	Max.	Mean	SD	<i>n</i>	Min.	Median	Max.	Mean	SD	<i>n</i>	
Age (years)													
Men	30	46	76	48	12	13	35	52	69	50	9	10	0.26 ^a
Women	29	56	75	56	15	7	37	55	63	52	10	5	0.64 ^a
All	29	48	76	51	13	20	35	52	69	51	9	15	0.63 ^a
Total time, in h, spent outdoors during summer	2	4	14	5.4	3.4	19	1	3	8	3.7	2.1	14	0.12 ^a
Fish meals/week	1	1	3	1.6	0.7	17	0	2	4	1.9	1.1	14	0.34 ^a
Duration of psoriasis, years	6	25	50	28	12	19							
	II	III	IV				II	III	IV				
Skin type (n)	7	12	1				2	12	1				
Proportion	35%	60%	5%				13%	80%	7%				0.37 ^b
	<i>n</i>	%					<i>n</i>	%					
Self-reported arthropathy	15	75%					0	0%					
Current smokers	8	40%					1	7%					
Antidyslipidaemic use	4	20%					1	7%					
Antihypertensive use	3	15%					1	7%					
Antidiabetic use	1	5%					0	0%					
Antidepressant use	3	15%					0	0%					
Painkiller use	4	20%					0	0%					
Hypothyroidism medication	0	0%					2	13%					
Hormonal contraception	0	0%					0	0%					
Aspirin	1	5%					0	0%					
Obesity (BMI ≥30)	6	30%					5	33%					

^aWilcoxon rank sum test. ^bFisher's exact test.

Min. minimum; Max.: maximum; SD: standard deviation; BMI: body mass index.