Supplementary material to article by M. Iskasson et al. "Children with Atopic Dermatitis Should Always be Patch-tested if They Have Hand and/or Foot Dermatitis"

Table SI. The corticosteroid patch test series in Malmö

Patch test substances	Conc (%, w/v ^a)
Alclomethasone dipropionate	1.0*
Betamethasone diproprionate	1.0
Beclomethasone diproprionate	1.0
Betamethasone-17-valerate	1.0
	0.01
Desoxymethasone	
Diflorasone diacetate	1.0*
Desonide	0.1
Flumethasone	1.0
Fluticasone propionate	1.0*
Fluocinolone acetonide	1.0
Fluocortolone	1.0
Fucidic acid sodium salt	2.0**
Fluprednidene acetate	0.01
Hydrocortisone	1.0*
Clobetasone butyrate	1.0
Clobetasone proprionate	1.0
Mometasone furoate	0.01
Triamcinolone acetonide	0.01
Prednicarbate	1.0
Dexamethasone	0.1
Betamethasone	0.01
Methylprednisolone aceponate	1.0
DMSO/Ethanol	50/50
Ethanol	99.5

^aw/w: weight/volume for all allergens in a liquid vehicle. Vehicle for all test substances was ethanol except for substances marked with *, which were tested in DMSO (dimethylsulphoxide)/ethanol and the substance marked with ** which was tested in petrolatum, weight/weight.