Table SI. Identification of the protein content in the microdissected skin material by mass spectrometry^a

Flame figures			Uninvolved dermis	
	Score ^b	FDR°		Score ^b
Patient 1				
Actin	102	0	Period circadian protein homolog 1	11
Eosinophil peroxidase	59	0	Urea transporter 2	7
Histone H2A	33	0	Collagen alpha-1 chain	6
Bone marrow proteoglycan	33	0		
Tyrosine tRNA ligase	29	0		
Patient 2				
Collagen alpha-1 chain	51		Collagen alpha-1 chain	18
Kinesin-like protein KIF26A	14		Fibrocystin	9
Histone H2A	9			

^aMascot search was performed with Uniprot_sprot as the selected database. Search parameters were as mentioned in the Materials and Methods section.

^bObtained scores >26 indicate identity or extensive homology (p < 0.05).

Decoy database was included to monitor the False Discovery Rate (FDR).

Funding. This research was made possible by funding support from the Fund for Scientific Research-Flanders (Belgium) (FWO-Vlaanderen), the Research Council of the KU Leuven (GOA 12/24) and the Belgian government (IAP P7/13). J.W. received funding from the Melanoma Research Alliance (Team Science Research Award; USA) and is currently funded as an Experienced Researcher within the Marie Curie Industry-Academia Partnership and Pathways programme, SYS-MEL, which is funded under the FP7-PEOPLE-2013-IAPP scheme (Grant agreement number 611107).