

Table SII. Physical health-related quality of life, superficial fungal infections and demographic factors

	Change in SF-12 PCS score (%) [95% CI]	p-value
Superficial fungal infection	-1.58 [-2.19, -0.99] (-2.93 [-4.05, -1.83])	< 0.001*
Age (per increase in year)	-0.12 [-0.14, -0.10] (-0.22 [-0.26, -0.19])	< 0.001*
Female sex	-0.14 [-0.37, 0.12] (-0.26 [-0.68, 0.22])	0.140
BMI (per increase in BMI point)	-0.71 [-0.77, -0.66] (-1.32 [-1.43, -1.22])	< 0.001*
Current smoking	-1.23 [-1.97, -0.59] (-2.27 [-3.59, -0.96])	< 0.001*
Income (per yearly increase in 100,000 DKK)	0.08 [0.01, 0.16] (0.15 [0.01, 0.29])	0.032*
Socioeconomic status (work or student)	3.56 [2.46, 4.62] (6.59 [4.55, 8.54])	< 0.001*
Education level more than high-school	1.72 [1.25, 2.20] (3.19 [2.31, 4.07])	< 0.001*

Adjusted R²=0.065.

SF-12 PCS: Short Form-12 physical component score; BMI: body mass index; 95% CI: 95% confidence interval.

*Significant after Holm-Bonferroni correction.