

Supplementary material has been published as submitted. It has not been copyedited or typeset by Acta Oncologica.

Supplementary tables for

## TNM stage in the Nordic Cancer Registries 2004-2016: Registration and availability

Page 2 – Table 1. Study of TNM stage in the Nordic countries 2004-2016. NORDCAN entities with ICD10 codes and included number of cases by country.

Page 3 – Table 2. Study of TNM stage in the Nordic countries 2004-2016. TNM-sites with ICD10 codes and included number of cases by country.

Pages 4-16 – Tables 3-28, Time trends for TNM stages in Denmark, Norway, Sweden, and Iceland over 2004-2008, 2009-2013 and 2014-2016

Page 4 – Table 3. Lip cancer, Table 4. Oral cavity cancer

Page 5 – Table 5. Salivary glands cancer, Table 6. Oropharynx cancer

Page 6 – Table 7. Nasopharynx cancer, Table 8. Hypopharynx cancer

Page 7 – Table 9. Oesophagus cancer, Table 10. Stomach cancer

Page 8 – Table 11. Small intestine cancer, Table 12. Colon cancer

Page 9 – Table 13. Rectum cancer, Table 14. Anal cancer

Page 10 – Table 15. Liver cancer, Table 16. Gallbladder cancer

Page 11 – Table 17. Pancreas cancer, Table 18. Nose. Sinus cancer

Page 12 – Table 19. Larynx cancer, Table 20. Lung cancer

Page 13 – Table 21. Pleura cancer, Table 22. Breast cancer

Page 14 – Table 23. Prostate cancer, Table 24. Testis cancer

Page 15 – Table 25. Penis etc. cancer, Table 26. Kidney cancer

Page 16 – Table 27. Bladder cancer, Table 28. Melanoma skin cancer

Supplementary Table 1. Study of TNM stage in the Nordic countries 2004-2016. NORDCAN entities with ICD10 codes and included number of cases by country.

NORDCAN entity	ICD10	Number of cases by country			
		Denmark	Norway	Sweden	Iceland
Lip	C00.0-C00.2, C00.6, C00.8-C00.9	432	1154	1868	
Oral Cavity	C00.3-C00.5, C02-C04 C05.0, C05.8-C05.9, C06	4317	2294	4728	
Salivary glands	C07-C08	767	655	1363	
Oropharynx	C01, C05.1-C05.2, C09, C10.0, C10.2-C10.9, C14.0, C14.2-C14.8	4250	1983	3884	
Nasopharynx	C11	312	181	412	
Hypopharynx	C12-C13	1249	333	765	
Oesophagus	C15	6048	3043	5734	
Stomach	C16	7266	6461	11295	
Small intestine	C17	1518	1795	3470	
Colon	C18	38144	33512	50555	1394
Rectum	C19-C20	19805	16229	25924	517
Anus	C21	1561	935	1959	
Liver	C22	4612	2550	7529	
Gallbladder	C23-C24	2575	2048	5075	
Pancreas	C25	12108	9348	14269	
Nose, sinuses	C30-C31	901	575	910	
Larynx	C10.1, C32	3325	1518	2315	
Lung	C33-C34	57209	35705	48975	
Pleura	C38.4, C45.0, C45.9	1481	1008	1560	
Breast	C50	60255	38865	88992	2618
Prostate	C61	55082	58882	128652	2822
Testis	C62	3878	3773	4242	
Penis etc.	C60, C63	805	644	1257	
Kidney	C64	10072	9395	13778	
Bladder etc	C65-C68, D09.0-D09.1, D30.1-D30.9, D41.1-D41.9	25773	18561	34526	
Melanoma, skin	C43	25444	20343	36485	
Total		349189	271790	500522	7351

Supplementary Table 2. Study of TNM stage in the Nordic countries 2004-2016. TNM-sites with ICD10 codes and included number of cases by country.

TNM-sites	ICD10	Number of cases by country			
		Denmark	Norway	Sweden	Iceland
Lip	C00.0-2,5-9	432	1154	1868	
Oral cavity	C00.3-4,C02-04,C05.0,8-9, C06	4317	2294	4728	
Oropharynx, p16- neg	C01,C05.1-2, C09,C10.0,2-9	4230	1950	3822	
Nasopharynx	C11	312	181	412	
Hypopharynx	C12-14	1269	366	827	
Nasal Cavities and sinuses	C30-31	901	575	910	
Larynx	C32+C10.1	3325	1518	2315	
Salivary glands	C07-08	767	655	1363	
Oesophagus	C15-16.0	9424	4649	8700	
Stomach	C16.1-9	3890	4855	8329	
Small intestine	C17	1518	1795	3470	
Appendix	C18.1	616	843	770	26
Colon and rectum	C18,0,2-9, C19-20	57333	48898	75709	1885
Anal canal	C21	1561	935	1959	
Liver, hepatocellular carc.	C22.0,7,9	3683	1855	5873	
Liver, intrahepatic bile ducts	C22.1	849	654	1618	
Gallbladder	C23	546	489	2232	
Distal extrahepatic bile ducts	C24.0,8-9	1474	1106	2200	
Ampulla of vater	C24.1	555	453	643	
Pancreas	C25	12108	9348	14269	
Lung	C34	57171	35665	48920	
Pleura	C38.4+C45.0,9	1481	1008	1560	
Malignant melanoma, skin	C43	25444	20343	36485	
Breast	C50	60255	38865	88992	2618
Penis	C60	745	566	1201	
Prostate	C61	55082	58882	128652	2822
Testis	C62	3878	3773	4242	
Kidney	C64	10072	9395	13778	
Renal pelvis and ureter	C65-66	1256	1480	2362	
Urinary bladder	C65-67,D09.0-1,D30.1-9	24422	16904	31744	
Urethra	C68	95	177	420	
Not in a TNM-site		178	159	149	0
Total		349189	271790	500522	7351

Supplementary Table 3. Lip cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Lip	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	4.9	50.9	13.4	4.9	50.9	13.4
Partly	10.3	6.9	12.8	3.6	2.1	2.0
TNM-inf	84.8	42.2	73.7	91.5	46.9	84.6
0-I	84.1	78.0	87.3	84.3	78.5	87.1
II	12.7	13.8	9.4	12.3	13.0	9.6
III	1.1	1.3	2.0	1.5	2.3	2.0
IV	2.1	6.9	1.2	2.0	6.2	1.2
<b>2009-13</b>						
No info	3.9	61.0	5.2	3.9	61.0	5.2
Partly	15.8	4.5	5.3	2.0	1.4	0.1
TNM-inf	80.3	34.6	89.6	94.1	37.6	94.7
0-I	77.0	82.4	82.4	74.8	81.1	82.6
II	14.8	11.2	12.6	17.5	10.8	12.5
III	3.3	5.3	2.6	3.5	6.5	2.6
IV	4.9	1.2	2.4	4.2	1.6	2.3
<b>2014-16</b>						
No info	3.5	69.8	7.9	3.5	69.8	7.9
Partly	22.8	3.5	6.3	5.3	0	0.2
TNM-inf	73.7	26.7	85.8	91.2	30.2	91.9
0-I	90.5	68.4	79.3	90.4	69.8	80.0
II	7.1	22.4	16.1	7.7	22.1	15.7
III	2.4	6.6	3.0	1.9	5.8	2.8
IV	0	2.6	1.6	0	2.3	1.5

Supplementary Table 4. Oral cavity cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Oral cavity	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	9.4	27.3	10.1	9.4	27.3	10.1
Partly	18.9	8.2	12.2	1.6	1.7	1.0
TNM-inf	71.8	64.5	77.8	89.1	71.0	89.0
0-I	24.5	26.9	27.8	24.7	26.1	27.0
II	20.0	24.2	23.6	19.8	23.6	24.7
III	19.0	10.4	14.5	18.9	10.7	14.1
IV	36.5	38.5	34.1	36.6	39.7	34.2
<b>2009-13</b>						
No info	18.9	34.2	2.2	18.9	34.2	2.2
Partly	14.8	5.5	1.7	2.0	0.7	0.1
TNM-inf	66.4	60.3	96.2	79.1	65.1	97.7
0-I	26.1	32.6	33.7	26.5	30.9	33.8
II	17.7	20.2	22.4	18.5	20.8	22.4
III	18.8	9.6	10.2	18.5	10.0	10.3
IV	37.4	37.5	33.6	36.4	38.3	33.6
<b>2014-16</b>						
No info	32.0	32.3	2.1	32.0	32.3	2.1
Partly	11.5	4.4	0.5	2.5	1.3	0.2
TNM-inf	56.6	63.3	97.3	65.5	66.5	97.6
0-I	31.2	27.5	30.2	32.9	26.9	30.3
II	19.4	23.3	22.4	18.9	23.1	22.4
III	13.5	10.1	10.2	13.6	10.1	10.2
IV	35.9	39.1	37.2	34.6	39.9	37.1

Supplementary Table 5. Salivary glands cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Salivary glands	Official TNM			Using NOM0 for NXXM		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	8.3	34.5	15.4	8.3	34.5	15.4
Partly	19.2	8.0	10.3	5.3	1.0	2.1
TNM-inf	72.5	57.5	74.3	86.4	64.5	82.5
0-I	31.2	24.3	31.3	30.1	24.0	30.7
II	19.8	31.3	23.5	23.1	30.2	23.4
III	16.1	14.8	17.7	16.6	14.7	18.2
IV	32.8	29.6	27.4	30.1	31.0	27.7
<b>2009-13</b>						
No info	18.2	37.2	2.9	18.2	37.2	2.9
Partly	13.0	9.6	2.5	3.9	4.2	0.7
TNM-inf	68.8	53.1	94.6	77.9	58.6	96.4
0-I	24.0	18.1	27.8	23.4	20.0	27.7
II	20.9	24.4	28.0	21.2	24.3	27.9
III	18.4	17.3	14.8	18.9	18.6	15.4
IV	36.7	40.2	29.4	36.5	37.1	29.0
<b>2014-16</b>						
No info	35.0	39.8	1.8	35.0	39.8	1.8
Partly	12.9	5.6	1.5	3.2	1.9	0.9
TNM-inf	52.1	54.6	96.6	61.8	58.3	97.2
0-I	26.5	22.0	28.3	26.9	23.0	28.1
II	29.2	26.3	26.7	29.1	25.4	26.8
III	10.6	18.6	14.0	11.2	19.8	13.9
IV	33.6	33.1	31.1	32.8	31.7	31.2

Supplementary Table 6. Oropharynx cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Oropharynx	Official TNM			Using NOM0 for NXXM		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	7.8	21.0	10.1	7.8	21.0	10.1
Partly	18.1	5.5	11.0	2.8	1.0	0.9
TNM-inf	74.1	73.5	78.9	89.4	78.0	89.0
0-I	5.3	6.3	4.5	6.3	7.0	6.2
II	12.5	11.4	8.5	13.3	11.4	10.4
III	21.2	15.3	23.3	22.5	15.3	23.1
IV	61.0	67.1	63.6	57.9	66.3	60.3
<b>2009-13</b>						
No info	13.1	17.9	0.7	13.1	17.9	0.7
Partly	13.7	8.1	1.5	3.0	1.9	0.2
TNM-inf	73.2	74.1	97.8	83.9	80.3	99.1
0-I	5.2	4.7	3.2	5.9	4.6	3.3
II	11.9	8.4	11.3	12.9	8.5	11.6
III	19.1	15.9	17.3	19.4	16.5	17.2
IV	63.7	71.0	68.2	61.8	70.3	67.9
<b>2014-16</b>						
No info	30.8	21.0	0.6	30.8	21.0	0.6
Partly	9.6	5.1	0.5	2.5	1.4	0.3
TNM-inf	59.7	73.9	98.9	66.7	77.7	99.1
0-I	6.3	2.1	3.5	6.9	2.0	3.5
II	11.4	10.1	9.7	11.8	10.5	9.7
III	17.7	14.9	13.1	18.0	15.0	13.0
IV	64.6	73.0	73.8	63.3	72.5	73.8

Supplementary Table 7. Nasopharynx cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Nasopharynx	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	8.6	21.3	13.5	8.6	21.3	13.5
Partly	17.2	8.2	9.6	4.3	3.3	4.5
TNM-inf	74.1	70.5	76.9	87.1	75.4	82.1
0-I	15.1	9.3	12.5	12.9	8.7	12.5
II	5.8	0	7.5	7.9	2.2	7.8
III	12.8	20.9	16.7	13.9	19.6	17.2
IV	66.3	69.8	63.3	65.3	69.6	62.5
<b>2009-13</b>						
No info	21.0	32.1	5.1	21.0	32.1	5.1
Partly	11.6	12.8	2.5	2.2	5.1	1.3
TNM-inf	67.4	55.1	92.4	76.8	62.8	93.6
0-I	7.5	2.3	7.6	6.6	2.0	7.5
II	9.7	7.0	6.2	10.4	6.1	6.1
III	8.6	25.6	26.9	10.4	28.6	27.2
IV	74.2	65.1	59.3	72.6	63.3	59.2
<b>2014-16</b>						
No info	34.5	23.8	1.0	34.5	23.8	1.0
Partly	8.6	9.5	3.0	1.7	0	2.0
TNM-inf	56.9	66.7	96.0	63.8	76.2	97.0
0-I	9.1	3.6	8.4	10.8	6.2	9.4
II	9.1	3.6	4.2	10.8	6.2	4.2
III	27.3	25.0	28.4	24.3	21.9	28.1
IV	54.5	67.9	58.9	54.1	65.6	58.3

Supplementary Table 8. Hypopharynx cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Hypopharynx	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	7.1	26.4	13.1	7.1	26.4	13.1
Partly	19.1	13.6	12.4	2.8	2.1	1.0
TNM-inf	73.8	60.0	74.5	90.1	71.4	86.0
0-I	6.7	8.3	3.4	8.6	8.0	4.4
II	11.8	10.7	9.8	11.8	12.0	10.7
III	24.0	15.5	23.1	22.0	15.0	25.2
IV	57.5	65.5	63.7	57.6	65.0	59.6
<b>2009-13</b>						
No info	15.4	26.9	2.5	15.4	26.9	2.5
Partly	16.4	13.0	2.5	2.1	0	0
TNM-inf	68.2	60.2	95.1	82.4	73.1	97.5
0-I	4.3	1.5	3.7	4.7	1.3	3.6
II	9.5	6.2	11.9	10.7	6.3	12.0
III	22.1	10.8	17.5	21.8	12.7	17.4
IV	64.2	81.5	66.9	62.8	79.7	67.0
<b>2014-16</b>						
No info	26.5	21.2	1.2	26.5	21.2	1.2
Partly	10.9	7.1	0	0	1.2	0
TNM-inf	62.6	71.8	98.8	73.5	77.6	98.8
0-I	6.6	0	3.0	6.5	0	3.0
II	10.2	8.2	4.8	10.4	9.1	4.8
III	16.8	18.0	16.3	20.9	16.7	16.3
IV	66.3	73.8	75.9	62.2	74.2	75.9

Supplementary Table 9. Oesophagus cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Oesophagus	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	14.2	54.7	26.4	14.2	54.7	26.4
Partly	12.0	14.3	14.9	4.4	8.5	5.6
TNM-inf	73.8	31.0	58.6	81.4	36.8	68.0
0-I	6.8	18.0	15.5	7.9	17.7	17.2
II	8.6	15.4	17.4	9.6	18.2	19.1
III	37.7	27.2	29.4	40.0	30.9	31.2
IV	46.9	39.3	37.7	42.6	33.1	32.6
<b>2009-13</b>						
No info	11.0	49.6	6.5	11.0	49.6	6.5
Partly	10.7	11.0	14.8	4.7	5.4	9.1
TNM-inf	78.3	39.4	78.9	84.3	45.1	84.4
0-I	7.6	16.6	13.6	8.5	17.1	14.6
II	11.4	13.2	17.8	11.9	15.3	19.0
III	35.8	31.3	29.5	37.7	33.5	29.9
IV	45.2	38.9	39.1	42.0	34.1	36.5
<b>2014-16</b>						
No info	22.0	54.8	6.6	22.0	54.8	6.6
Partly	11.3	6.7	6.9	4.5	3.8	5.1
TNM-inf	66.7	38.5	86.5	73.5	41.4	88.3
0-I	8.8	17.7	12.6	9.1	18.7	13.3
II	12.3	16.2	17.0	13.3	17.8	17.3
III	39.6	32.6	33.3	41.9	32.3	33.1
IV	39.4	33.5	37.1	35.7	31.2	36.3

Supplementary Table 10. Stomach cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Stomach	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	12.6	59.3	26.4	12.6	59.3	26.4
Partly	10.7	11.1	18.8	3.6	2.4	5.9
TNM-inf	76.8	29.7	54.8	83.9	38.3	67.7
0-I	9.3	25.9	20.3	10.9	27.0	22.1
II	14.5	23.3	21.7	16.9	29.0	26.5
III	22.4	11.1	13.0	22.9	13.3	14.9
IV	53.8	39.7	45.1	49.3	30.7	36.5
<b>2009-13</b>						
No info	11.5	49.8	10.9	11.5	49.8	10.9
Partly	10.6	11.2	16.4	4.7	3.5	9.4
TNM-inf	77.9	39.0	72.7	83.8	46.8	79.6
0-I	10.1	26.0	18.1	11.3	26.1	19.2
II	16.3	21.1	20.8	18.1	25.8	23.7
III	24.7	15.7	14.6	25.1	17.1	14.6
IV	48.9	37.2	46.5	45.5	31.0	42.4
<b>2014-16</b>						
No info	18.9	52.9	11.2	18.9	52.9	11.2
Partly	11.2	8.1	8.3	4.0	2.8	4.4
TNM-inf	69.8	39.0	80.5	77.1	44.3	84.4
0-I	15.9	19.4	16.3	16.8	21.4	17.5
II	15.4	20.7	23.3	18.0	22.6	24.2
III	28.1	26.2	17.0	28.3	26.3	17.0
IV	40.6	33.8	43.3	36.8	29.7	41.3

Supplementary Table 11. Small intestine cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Small intestine	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	13.8	62.5	46.2	13.8	62.5	46.2
Partly	18.2	9.4	14.4	4.0	1.7	1.4
TNM-inf	68.0	28.1	39.4	82.2	35.8	52.4
0-I	8.6	14.0	15.6	10.8	15.7	15.5
II	14.1	13.3	18.0	21.3	19.9	24.2
III	27.5	30.7	22.1	26.7	31.4	26.9
IV	49.8	42.0	44.3	41.2	33.0	33.3
<b>2009-13</b>						
No info	16.0	57.0	33.9	16.0	57.0	33.9
Partly	19.6	8.5	22.1	7.2	1.5	2.6
TNM-inf	64.4	34.4	44.0	76.8	41.5	63.5
0-I	7.3	15.0	12.1	8.8	15.7	12.6
II	13.7	14.2	11.6	18.6	17.6	17.6
III	19.5	28.0	30.1	22.7	31.0	37.7
IV	59.5	42.9	46.3	49.9	35.6	32.1
<b>2014-16</b>						
No info	19.9	52.9	30.7	19.9	52.9	30.7
Partly	15.9	23.5	20.9	4.4	0.2	2.2
TNM-inf	64.2	23.7	48.4	75.7	46.9	67.1
0-I	8.9	10.5	11.1	11.1	10.6	11.5
II	9.3	12.1	14.6	12.2	16.3	18.5
III	25.4	33.9	25.7	28.9	51.2	34.9
IV	56.4	43.5	48.6	47.8	22.0	35.1

Supplementary Table 12. Colon cancer. Time trends for TNM stages in Denmark, Norway, Sweden, and Iceland over 2004-2008, 2009-2013 and 2014-2016

Colon	Official TNM				Using NOM0 for NXMX			
	Denmark	Norway	Sweden	Iceland	Denmark	Norway	Sweden	Iceland
<b>2004-09</b>								
No info	7.3	36.3	12.0	5.9	7.3	36.3	12.0	5.9
Partly	13.7	17.0	19.0	6.5	3.6	2.7	1.2	1.0
TNM-inf	78.9	46.7	69.0	87.6	89.1	61.0	86.8	93.1
0-I	10.4	15.9	12.9	12.8	11.6	16.3	14.7	15.0
II	30.7	34.6	33.2	34.2	33.0	37.2	34.8	34.1
III	26.7	23.3	28.2	25.9	26.8	26.4	30.0	25.4
IV	32.2	26.2	25.7	27.0	28.6	20.0	20.5	25.4
<b>2009-13</b>								
No info	8.8	17.5	3.1	6.9	8.8	17.5	3.1	6.9
Partly	13.0	62.9	12.6	10.8	5.9	1.5	2.2	1.4
TNM-inf	78.2	19.6	84.3	82.3	85.3	81.0	94.7	91.7
0-I	9.9	12.2	13.4	15.3	11.3	14.8	15.4	18.4
II	31.0	31.5	32.0	27.7	32.6	40.9	32.8	29.3
III	26.5	22.5	30.0	27.7	26.1	36.1	30.0	25.9
IV	32.6	33.7	24.6	29.4	29.9	8.2	21.9	26.3
<b>2014-16</b>								
No info	12.3	13.5	5.7	7.1	12.3	13.5	5.7	7.1
Partly	18.1	44.8	5.0	12.2	7.2	1.4	1.4	3.4
TNM-inf	69.6	41.7	89.3	80.7	80.5	85.1	92.9	89.4
0-I	19.1	14.3	15.0	16.1	21.2	18.3	16.9	20.1
II	29.6	30.5	31.9	25.9	31.2	35.9	31.6	24.9
III	25.6	21.7	31.8	26.2	25.4	29.4	31.0	26.3
IV	25.7	33.5	21.3	31.8	22.2	16.4	20.4	28.7



Supplementary Table 13. Rectum cancer. Time trends for TNM stages in Denmark, Norway, Sweden, and Iceland over 2004-2008, 2009-2013 and 2014-2016

Rectum	Official TNM				Using NOM0 for NXMX			
	Denmark	Norway	Sweden	Iceland	Denmark	Norway	Sweden	Iceland
<b>2004-09</b>								
No info	8.5	33.8	16.1	100.0	8.5	33.8	16.1	100.0
Partly	16.0	19.3	15.4		3.6	2.5	2.3	
TNM-inf	75.4	46.9	68.4		87.8	63.7	81.5	
0-I	13.7	23.6	22.8		15.6	25.4	26.4	
II	23.8	24.3	24.2		28.5	29.9	25.3	
III	35.8	28.5	29.6		33.0	27.4	28.6	
IV	26.7	23.6	23.5		22.9	17.3	19.7	
<b>2009-13</b>								
No info	9.4	30.7	5.1	26.3	9.4	30.7	5.1	26.3
Partly	14.9	49.9	13.1	12.4	5.4	2.3	3.3	3.2
TNM-inf	75.6	19.5	81.9	61.3	85.1	67.1	91.6	70.4
0-I	14.8	24.5	23.8	32.5	17.2	29.9	26.9	38.2
II	22.4	22.3	23.0	21.1	25.2	30.3	23.6	19.8
III	35.7	26.6	29.3	36.8	33.6	32.1	28.2	33.6
IV	27.0	26.6	23.8	9.6	24.0	7.7	21.3	8.4
<b>2014-16</b>								
No info	14.0	23.4	8.2	6.1	14.0	23.4	8.2	6.1
Partly	20.7	33.0	7.1	15.0	6.6	1.5	1.8	5.4
TNM-inf	65.3	43.7	84.7	78.9	79.4	75.1	90.0	88.4
0-I	25.0	25.5	26.9	25.9	27.7	29.2	29.9	30.8
II	21.7	21.2	22.1	25.0	25.1	26.6	21.7	23.8
III	31.5	27.9	31.4	31.9	29.2	29.4	29.9	30.0
IV	21.9	25.4	19.6	17.2	18.0	14.8	18.5	15.4

Supplementary Table 14. Anal cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Anus	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	22.1	45.0	54.5	22.1	45.0	54.5
Partly	21.7	12.5	21.9	5.0	3.5	5.2
TNM-inf	56.2	42.5	23.7	72.9	51.4	40.3
0-I	12.9	11.3	28.9	13.8	11.2	27.3
II	39.3	32.3	35.8	41.9	34.8	42.4
III	36.1	42.9	26.4	35.3	42.9	25.1
IV	11.8	13.5	8.8	9.1	11.2	5.2
<b>2009-13</b>						
No info	19.7	48.6	57.0	19.7	48.6	57.0
Partly	18.0	12.2	14.6	4.7	1.4	3.4
TNM-inf	62.3	39.2	28.3	75.6	50.0	39.6
0-I	9.2	10.1	18.4	10.0	9.7	20.5
II	38.6	39.1	30.0	41.6	35.8	32.0
III	37.4	39.1	36.4	36.2	45.5	36.6
IV	14.8	11.6	15.2	12.2	9.1	10.9
<b>2014-16</b>						
No info	47.8	67.0	46.8	47.8	67.0	46.8
Partly	32.3	8.1	10.0	11.2	1.9	1.5
TNM-inf	19.9	24.8	43.2	41.0	31.1	51.6
0-I	17.5	7.5	11.6	13.3	9.5	16.4
II	25.0	40.3	29.8	37.0	44.0	30.5
III	40.0	38.8	42.7	41.2	35.7	39.8
IV	17.5	13.4	16.0	8.5	10.7	13.4

Supplementary Table 15. Liver cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Liver	Official TNM			Using NOM0 for NXXM		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	26.1	76.3	53.2	26.1	76.3	53.2
Partly	24.9	7.9	15.2	8.2	2.1	2.1
TNM-inf	49.0	15.8	31.6	65.7	21.6	44.7
0-I	9.6	8.8	18.5	10.4	7.1	17.6
II	8.9	14.2	14.1	10.5	15.6	14.6
III	22.4	28.3	16.3	32.7	35.7	26.9
IV	59.2	48.7	51.2	46.4	41.6	41.0
<b>2009-13</b>						
No info	22.7	70.4	20.2	22.7	70.4	20.2
Partly	20.6	8.1	25.9	8.5	2.0	8.6
TNM-inf	56.7	21.4	53.8	68.8	27.6	71.2
0-I	11.2	12.3	21.9	13.3	11.6	23.9
II	12.4	15.4	19.1	12.9	17.8	19.9
III	26.7	23.3	17.6	30.9	29.1	22.7
IV	49.7	48.9	41.4	42.9	41.4	33.5
<b>2014-16</b>						
No info	28.7	65.3	11.0	28.7	65.3	11.0
Partly	16.5	18.5	12.2	8.1	0.8	8.2
TNM-inf	54.8	16.2	76.8	63.3	33.9	80.8
0-I	17.4	7.9	28.5	18.4	19.7	28.8
II	16.2	15.1	21.2	16.9	27.3	21.3
III	24.5	21.4	15.8	26.3	20.8	16.7
IV	41.8	55.6	34.5	38.4	32.2	33.3

Supplementary Table 16. Gallbladder cancer. Time trends for TNM stages in Denmark, Norway, Sweden, and Iceland over 2004-2008, 2009-2013 and 2014-2016

Gallbladder	Official TNM			Using NOM0 for NXXM		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	24.1	63.1	32.3	24.1	63.1	32.3
Partly	20.7	10.5	21.0	8.3	2.5	2.3
TNM-inf	55.2	26.4	46.7	67.5	34.4	65.4
0-I	14.1	25.1	16.3	18.5	25.5	18.0
II	14.7	19.3	16.0	17.0	23.9	21.0
III	10.9	9.6	13.6	13.3	13.2	19.2
IV	60.3	46.0	54.1	51.2	37.4	41.8
<b>2009-13</b>						
No info	17.4	56.1	16.8	17.4	56.1	16.8
Partly	18.7	10.1	27.6	7.7	3.9	8.9
TNM-inf	63.9	33.8	55.6	74.9	40.1	74.2
0-I	11.6	17.7	14.1	15.1	18.2	16.9
II	17.0	28.5	19.0	18.8	31.4	24.5
III	9.8	9.7	15.8	12.0	12.3	18.3
IV	61.5	44.1	51.1	54.2	38.1	40.2
<b>2014-16</b>						
No info	23.2	52.0	16.6	23.2	52.0	16.6
Partly	19.1	22.2	16.3	8.9	1.4	6.5
TNM-inf	57.7	25.7	67.1	67.9	46.5	76.9
0-I	10.3	14.3	16.4	12.7	20.6	16.5
II	24.4	39.7	21.2	28.6	45.2	25.3
III	10.6	12.7	15.1	11.5	14.9	16.9
IV	54.7	33.3	47.3	47.2	19.3	41.4

Supplementary Table 17. Pancreas cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Pancreas	Official TNM			Using NOM0 for NXXM		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	16.1	66.1	34.4	16.1	66.1	34.4
Partly	12.7	8.3	15.0	4.2	0.9	1.1
TNM-inf	71.2	25.6	50.6	79.7	33.0	64.5
0-I	5.9	12.3	11.0	8.9	15.6	13.1
II	10.4	14.8	16.1	13.1	20.5	22.7
III	15.8	8.4	9.4	17.2	13.8	14.3
IV	67.9	64.5	63.5	60.7	50.0	49.8
<b>2009-13</b>						
No info	15.0	58.0	15.8	15.0	58.0	15.8
Partly	10.9	6.6	21.0	4.9	1.1	3.0
TNM-inf	74.1	35.4	63.2	80.1	40.9	81.2
0-I	4.8	9.1	6.4	6.7	10.4	9.9
II	15.1	15.8	18.5	16.4	19.2	25.1
III	12.2	9.9	12.2	14.1	13.9	16.1
IV	67.9	65.2	62.8	62.8	56.5	48.9
<b>2014-16</b>						
No info	22.3	62.9	14.4	22.3	62.9	14.4
Partly	10.6	10.8	16.9	4.7	0.6	1.9
TNM-inf	67.1	26.3	68.6	73.0	36.5	83.6
0-I	5.1	10.2	4.7	7.0	14.2	7.3
II	20.7	22.3	19.5	22.6	34.0	26.3
III	9.8	11.0	12.4	11.2	11.1	14.4
IV	64.4	56.6	63.4	59.2	40.7	52.0

Supplementary Table 18. Nose, Sinus cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Nose, sinus	Official TNM			Using NOM0 for NXXM		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	10.3	28.9	20.3	10.3	28.9	20.3
Partly	15.6	10.1	13.9	5.3	3.9	2.2
TNM-inf	74.0	61.0	65.8	84.4	67.1	77.5
0-I	28.7	17.3	28.7	28.5	17.0	26.9
II	20.4	16.5	10.5	19.9	15.7	11.1
III	14.7	10.8	16.0	14.9	11.1	15.8
IV	36.2	55.4	44.7	36.8	56.2	46.2
<b>2009-13</b>						
No info	17.3	47.7	8.8	17.3	47.7	8.8
Partly	14.4	7.8	1.7	3.5	2.3	0.0
TNM-inf	68.3	44.5	89.5	79.2	50.0	91.2
0-I	32.2	13.4	16.5	32.2	14.7	16.2
II	18.0	16.5	14.3	18.5	15.6	15.0
III	6.4	6.2	15.6	7.0	7.3	15.6
IV	43.3	63.9	53.7	42.2	62.4	53.3
<b>2014-16</b>						
No info	32.7	51.2	10.1	32.7	51.2	10.1
Partly	10.9	3.1	0.5	2.5	1.6	0.5
TNM-inf	56.4	45.7	89.4	64.9	47.3	89.4
0-I	31.6	16.9	19.8	32.8	16.4	19.8
II	15.8	6.8	13.6	14.5	8.2	13.6
III	13.2	10.2	15.3	13.7	9.8	15.3
IV	39.5	66.1	51.4	38.9	65.6	51.4

Supplementary Table 19. Larynx cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Larynx	Official TNM			Using NOMO for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	4.6	25.4	9.8	4.6	25.4	9.8
Partly	12.8	6.7	9.6	1.3	0.3	0.4
TNM-inf	82.6	67.9	80.6	94.1	74.2	89.8
0-I	38.2	32.7	40.4	38.0	32.2	38.8
II	22.0	26.8	22.1	22.9	25.5	22.8
III	18.1	16.5	16.2	18.2	17.8	17.2
IV	21.7	24.1	21.3	20.9	24.5	21.2
<b>2009-13</b>						
No info	9.4	36.7	1.5	9.4	36.7	1.5
Partly	8.0	4.2	2.4	0.8	0.3	0.9
TNM-inf	82.6	59.1	96.1	89.7	62.9	97.6
0-I	37.1	29.2	41.5	37.0	28.8	41.3
II	24.1	24.6	22.4	23.8	23.7	22.9
III	17.0	19.8	15.3	17.1	20.4	15.2
IV	21.9	26.4	20.8	22.1	27.2	20.6
<b>2014-16</b>						
No info	33.3	35.9	2.5	33.3	35.9	2.5
Partly	7.8	6.1	0.8	0.8	0.6	0.4
TNM-inf	58.9	58.0	96.8	65.9	63.5	97.1
0-I	39.2	28.5	47.0	38.7	27.9	46.8
II	24.3	25.0	17.5	25.4	25.6	17.6
III	13.9	25.0	15.5	13.7	24.2	15.7
IV	22.5	21.5	20.0	22.2	22.4	20.0

Supplementary Table 20. Lung cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Lung	Official TNM			Using NOMO for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	5.1	36.4	7.5	5.1	36.4	7.5
Partly	5.6	5.8	3.9	0.7	0.4	0.2
TNM-inf	89.2	57.8	88.6	94.2	63.2	92.4
0-I	12.2	20.5	17.9	13.2	21.2	18.1
II	4.8	5.8	3.7	5.3	6.3	4.1
III	25.0	25.7	28.3	26.5	28.5	29.8
IV	58.0	48.0	50.1	54.9	44.0	48.0
<b>2009-13</b>						
No info	2.7	27.5	2.9	2.7	27.5	2.9
Partly	3.7	8.1	3.4	0.5	0.8	1.3
TNM-inf	93.6	64.4	93.7	96.8	71.6	95.8
0-I	13.1	20.7	18.8	13.5	21.5	18.9
II	7.2	8.0	6.6	7.6	8.7	6.7
III	22.4	21.4	21.6	23.4	24.9	22.5
IV	57.3	49.9	53.0	55.5	44.8	51.9
<b>2014-16</b>						
No info	3.3	18.8	3.4	3.3	18.8	3.4
Partly	3.2	13.8	0.7	1.0	3.3	0.2
TNM-inf	93.5	67.4	95.9	95.7	78.0	96.4
0-I	17.5	20.6	19.2	17.6	24.2	19.3
II	8.8	8.5	7.2	9.0	10.0	7.4
III	21.7	16.6	19.9	22.6	18.9	20.0
IV	52.0	54.3	53.6	50.8	46.9	53.3

Supplementary Table 21. Pleura cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Pleura	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	8.3	62.1	48.3	8.3	62.1	48.3
Partly	20.2	8.5	7.2	4.8	2.6	1.7
TNM-inf	71.5	29.4	44.5	86.9	35.3	50.0
0-I	5.5	18.4	16.2	6.2	19.7	16.1
II	18.3	21.9	16.2	22.8	21.9	16.8
III	19.1	15.8	23.0	20.0	16.8	22.8
IV	57.1	43.9	44.5	51.0	41.6	44.3
<b>2009-13</b>						
No info	7.0	57.2	46.3	7.0	57.2	46.3
Partly	11.1	7.1	5.3	2.7	1.3	2.1
TNM-inf	81.8	35.8	48.4	90.2	41.6	51.6
0-I	8.4	15.5	13.9	9.1	14.5	14.0
II	15.3	16.2	23.5	16.0	16.4	23.0
III	22.3	26.1	21.2	23.0	26.7	22.0
IV	54.0	42.3	41.4	51.8	42.4	41.0
<b>2014-16</b>						
No info	12.9	60.1	44.1	12.9	60.1	44.1
Partly	12.9	5.4	7.4	7.1	1.8	0.3
TNM-inf	74.1	34.5	48.5	79.9	38.1	55.6
0-I	13.7	16.9	15.2	13.7	17.6	15.3
II	18.8	10.4	27.3	20.0	11.8	24.9
III	19.9	48.1	18.2	19.4	47.1	21.2
IV	47.6	24.7	39.4	47.0	23.5	38.6

Supplementary Table 22. Breast cancer. Time trends for TNM stages in Denmark, Norway, Sweden, and Iceland over 2004-2008, 2009-2013 and 2014-2016

Breast	Official TNM				Using NOM0 for NXMX			
	Denmark	Norway	Sweden	Iceland	Denmark	Norway	Sweden	Iceland
<b>2004-09</b>								
No info	2.2	3.4	15.9	1.7	2.2	3.4	15.9	1.7
Partly	8.5	4.0	24.2	74.5	0.7	0.3	1.5	1.0
TNM-inf	89.3	92.6	59.9	23.9	97.0	96.3	82.7	97.4
0-I	32.8	43.2	51.0	41.5	32.6	43.4	49.3	51.0
II	44.9	44.1	40.0	34.1	45.0	44.4	42.1	42.6
III	15.6	7.8	4.8	10.6	16.2	7.6	5.6	3.1
IV	6.7	4.8	4.1	13.8	6.2	4.7	3.0	3.4
<b>2009-13</b>								
No info	3.8	4.7	1.5	2.7	3.8	4.7	1.5	2.7
Partly	8.9	2.7	12.0	17.8	0.7	0.2	2.7	0.5
TNM-inf	87.3	92.5	86.4	79.5	95.5	95.1	95.8	96.8
0-I	46.6	44.3	58.4	40.9	45.2	44.1	56.4	42.4
II	38.4	38.9	34.9	38.0	39.0	39.5	36.4	39.2
III	10.1	12.8	3.6	14.7	11.4	12.5	4.4	13.2
IV	4.9	4.1	3.1	6.4	4.5	3.9	2.8	5.3
<b>2014-16</b>								
No info	9.3	2.4	3.6	3.9	9.3	2.4	3.6	3.9
Partly	11.9	3.0	1.1	13.3	1.7	0.1	0.4	1.4
TNM-inf	78.8	94.6	95.3	82.9	89.0	97.6	96.0	94.8
0-I	51.8	45.4	55.4	38.0	49.5	44.9	55.3	40.1
II	37.4	38.3	37.5	39.7	38.3	39.3	37.6	39.6
III	7.0	12.5	4.2	15.3	8.8	12.2	4.3	14.2
IV	3.8	3.8	2.8	7.1	3.3	3.7	2.8	6.2

Supplementary Table 23. Prostate cancer. Time trends for TNM stages in Denmark, Norway, Sweden, and Iceland over 2004-2008, 2009-2013 and 2014-2016

Prostate	Official TNM				Using NOM0 for NXMX			
	Denmark	Norway	Sweden	Iceland	Denmark	Norway	Sweden	Iceland
<b>2004-09</b>								
No info	13.5	10.0	5.5	4.3	13.5	10.0	5.5	4.3
Partly	45.3	57.3	80.8	27.2	1.1	0.9	0.7	1.1
TNM-inf	41.3	32.8	13.7	68.5	85.4	89.1	93.8	94.6
0-I	18.8	24.1	15.3	47.9	31.2	33.8	44.5	48.8
II	21.1	20.7	16.0	25.2	25.8	26.4	29.3	26.8
III	17.9	19.0	10.7	11.2	20.5	23.7	15.4	12.7
IV	42.2	36.2	58.0	15.7	22.5	16.1	10.8	11.6
<b>2009-13</b>								
No info	13.2	11.8	2.1	3.8	13.2	11.8	2.1	3.8
Partly	50.8	61.0	78.2	21.3	0.9	0.6	2.0	0.5
TNM-inf	36.0	27.2	19.7	74.9	85.9	87.6	95.9	95.7
0-I	19.4	14.0	28.3	49.8	32.3	30.7	47.8	52.1
II	23.8	25.0	18.6	26.4	29.3	32.5	28.8	26.3
III	19.7	23.2	10.5	10.3	21.1	22.8	13.2	10.8
IV	37.2	37.8	42.6	13.5	17.3	14.0	10.2	10.7
<b>2014-16</b>								
No info	19.1	16.0	1.5	6.8	19.1	16.0	1.5	6.8
Partly	52.6	39.0	76.3	15.1	0.5	0.5	2.0	0.3
TNM-inf	28.3	45.0	22.2	78.1	80.4	83.4	96.5	92.9
0-I	16.5	15.5	41.0	38.6	32.8	22.1	51.6	40.3
II	20.1	38.4	21.8	28.8	29.3	40.1	29.0	27.8
III	17.3	25.0	8.7	16.1	19.9	24.9	11.7	15.9
IV	46.2	21.1	28.5	16.5	18.0	12.8	7.7	16.1

Supplementary Table 24. Testis cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Testis	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	3.7	45.5	14.6	3.7	45.5	14.6
Partly	16.5	18.5	22.7	1.2	1.2	0.8
TNM-inf	79.9	36.0	62.7	95.1	53.3	84.6
0-I	71.8	82.6	75.7	75.5	86.0	80.0
II	11.8	9.4	14.1	10.7	8.6	12.5
III	16.4	8.0	10.2	13.8	5.4	7.6
IV	0	0	0	0	0	0
<b>2009-13</b>						
No info	9.7	53.0	13.0	9.7	53.0	13.0
Partly	17.0	14.1	16.1	1.3	1.7	0.9
TNM-inf	73.2	32.8	70.9	89.0	45.3	86.1
0-I	76.2	82.0	74.0	79.9	85.3	78.3
II	9.1	10.2	16.3	8.0	9.0	13.7
III	14.7	7.8	9.7	12.1	5.7	8.0
IV	0	0	0	0	0	0
<b>2014-16</b>						
No info	15.7	65.1	6.0	15.7	65.1	6.0
Partly	46.3	8.4	8.1	3.9	0.8	0.1
TNM-inf	37.9	26.6	86.0	80.4	34.2	94.0
0-I	78.4	86.6	77.4	88.4	88.9	79.2
II	9.6	8.0	15.8	5.9	6.9	14.5
III	12.0	5.5	6.8	5.7	4.2	6.2
IV	0	0	0	0	0	0

Supplementary Table 25. Penis etc. cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Penis etc.	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	11.7	37.4	10.3	11.7	37.4	10.3
Partly	42.1	27.0	47.4	6.8	12.6	4.9
TNM-inf	46.2	35.6	42.3	81.6	50.0	84.8
0-I	46.3	38.0	28.2	48.4	35.1	40.2
II	26.8	34.2	38.7	32.3	41.4	38.6
III	13.0	22.8	21.0	11.1	19.8	13.8
IV	13.8	5.1	12.2	8.3	3.6	7.4
<b>2009-13</b>						
No info	17.5	37.4	5.5	17.5	37.4	5.5
Partly	40.0	24.3	36.6	7.8	7.2	6.5
TNM-inf	42.5	38.3	58.0	74.7	55.4	88.1
0-I	36.0	36.5	39.0	42.7	37.4	45.2
II	28.7	31.8	27.2	33.1	38.2	29.8
III	16.9	18.8	19.5	13.4	15.4	14.9
IV	18.4	12.9	14.3	10.9	8.9	10.1
<b>2014-16</b>						
No info	22.8	68.0	9.0	22.8	68.0	9.0
Partly	39.7	13.0	29.0	7.3	4.0	9.6
TNM-inf	37.4	19.0	62.0	69.9	28.0	81.4
0-I	36.6	39.5	32.4	43.1	46.4	39.7
II	30.5	31.6	38.2	34.0	32.1	36.4
III	19.5	15.8	20.8	15.0	10.7	16.9
IV	13.4	13.2	8.7	7.8	10.7	7.0

Supplementary Table 26. Kidney cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Kidney	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	10.7	35.8	12.2	10.7	35.8	12.2
Partly	16.3	20.7	36.1	1.7	1.2	0.6
TNM-inf	73.0	43.5	51.7	87.6	63.0	87.2
0-I	32.8	42.8	34.9	34.7	44.3	43.8
II	13.6	20.1	13.9	15.6	22.2	15.7
III	10.6	10.8	13.4	12.0	13.3	16.5
IV	43.0	26.3	37.8	37.7	20.2	24.0
<b>2009-13</b>						
No info	14.8	34.6	4.2	14.8	34.6	4.2
Partly	20.4	15.4	20.1	1.1	0.8	0.9
TNM-inf	64.8	50.0	75.6	84.1	64.6	94.9
0-I	41.7	56.9	47.0	45.6	57.2	50.1
II	8.9	12.3	12.7	10.6	13.1	13.5
III	13.9	9.6	16.2	15.7	11.6	16.5
IV	35.5	21.2	24.1	28.1	18.1	19.9
<b>2014-16</b>						
No info	10.2	50.2	2.8	10.2	50.2	2.8
Partly	12.4	7.3	8.3	0.9	0.5	0.8
TNM-inf	77.4	42.5	88.8	88.8	49.3	96.4
0-I	52.0	65.7	55.5	53.3	65.5	56.5
II	8.1	10.9	9.9	9.0	11.3	10.1
III	16.8	10.6	16.0	17.3	11.8	16.2
IV	23.1	12.9	18.6	20.4	11.3	17.2

Supplementary Table 27. Bladder cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Bladder	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	6.3	33.2	16.9	6.3	33.2	16.9
Partly	46.2	36.6	62.6	0.8	1.9	0.8
TNM-inf	47.5	30.2	20.5	92.9	64.9	82.3
0-I	55.5	64.1	41.3	64.9	65.6	71.5
II	12.2	12.5	23.1	12.8	14.2	14.7
III	11.0	10.2	10.9	10.0	12.7	6.5
IV	21.3	13.2	24.7	12.2	7.5	7.3
<b>2009-13</b>						
No info	5.7	47.0	9.2	5.7	47.0	9.2
Partly	45.8	28.5	62.3	0.8	7.9	2.3
TNM-inf	48.5	24.5	28.5	93.5	45.1	88.4
0-I	60.2	54.9	52.2	68.1	58.0	72.0
II	13.9	16.0	22.9	14.6	19.0	17.0
III	7.8	11.7	6.6	6.6	12.0	4.0
IV	18.1	17.4	18.4	10.7	11.0	7.0
<b>2014-16</b>						
No info	4.2	53.2	5.6	4.2	53.2	5.6
Partly	49.0	16.1	42.9	0.5	2.3	1.6
TNM-inf	46.8	30.7	51.5	95.3	44.5	92.7
0-I	73.2	69.1	66.5	74.6	69.0	74.7
II	11.0	12.7	17.4	14.6	14.5	15.0
III	4.1	7.9	4.3	4.0	8.2	3.4
IV	11.7	10.3	11.8	6.8	8.4	7.0

Supplementary Table 28. Melanoma skin cancer. Time trends for TNM stages in Denmark, Norway, and Sweden over 2004-2008, 2009-2013 and 2014-2016

Melanoma	Official TNM			Using NOM0 for NXMX		
	Denmark	Norway	Sweden	Denmark	Norway	Sweden
<b>2004-09</b>						
No info	4.8	73.7	19.9	4.8	73.7	19.9
Partly	17.4	9.4	49.0	3.0	1.7	1.1
TNM-inf	77.9	16.9	31.1	92.2	24.5	79.0
0-I	68.3	54.4	68.6	68.0	53.1	67.1
II	16.5	31.4	25.3	18.3	35.0	28.6
III	9.8	6.1	2.8	9.1	6.2	3.0
IV	5.4	8.2	3.2	4.6	5.6	1.3
<b>2009-13</b>						
No info	3.6	81.8	2.9	3.6	81.8	2.9
Partly	14.3	8.2	29.1	1.0	1.2	1.5
TNM-inf	82.1	10.0	68.1	94.4	17.0	95.6
0-I	74.4	70.3	73.5	72.7	68.0	71.1
II	14.1	22.2	24.0	16.6	25.3	26.5
III	7.1	2.5	1.4	6.9	3.8	1.6
IV	4.4	5.0	1.1	3.8	2.9	0.8
<b>2014-16</b>						
No info	5.5	5.2	2.2	5.5	5.2	2.2
Partly	15.9	75.0	16.6	2.0	0.2	0.8
TNM-inf	78.6	19.8	81.2	92.4	94.6	97.0
0-I	75.3	64.8	75.1	73.5	70.6	73.3
II	14.4	23.0	22.6	16.7	22.8	24.4
III	7.6	6.5	1.5	7.4	5.4	1.7
IV	2.8	5.7	0.8	2.4	1.2	0.7