

Supplementary material has been published as submitted. It has not been copyedited, or typeset by Acta Oncologica

Supplementary table 1

Independent variables	Unadjusted analyses				Adjusted analysis*		
	N	OR	95%CI	p-value	OR	95%CI	p-value
Step 1: Demographic characteristics							
Gender (ref: women)							
Men	2207	0.68	0.57-0.81	<0.001	1.34	1.11-1.61	0.002
Age	5172	0.98	0.98-0.99	<0.001	0.99	0.98-1.00	0.033
Marital status (ref: single)	503						
Married	3899	0.87	0.64-1.10	0.205	0.95	0.70-1.30	0.765
Widowed	410	0.69	0.46-1.06	0.091	0.88	0.56-1.40	0.592
Divorced	663	1.03	0.73-1.44	0.880	1.23	0.77-1.64	0.535
Education level (ref: primary/high school)	953						
Short/intermediate education	3211	1.31	1.03-1.67	0.029	1.28	0.99-1.65	0.062
Long higher education	954	1.51	1.14-2.01	0.004	1.41	1.04-1.91	0.026
Other, not defined or missing	366	1.07	0.71-1.62	0.748	1.21	0.79-1.84	0.374
Working status (ref: employed)	1913						
Retired	2829	0.70	0.59-0.84	<0.001	0.97	0.75-1.24	0.802
Unemployed/temporary employment	493	0.94	0.70-1.26	0.666	0.89	0.65-1.20	0.438
Other or missing	249	1.08	0.74-1.58	0.698	1.19	0.79-1.78	0.410
Children(ref: children living at home)	974						
Children not living at home	3458	0.66	0.54-0.80	<0.001	0.87	0.69-1.12	0.273
No children	1048	0.71	0.55-0.92	0.010	0.81	0.61-1.08	0.149
							R ² = 0.0129
Step 2: clinical characteristics							
Diagnosis (ref: urogenital cancers)	1277						
Breast	1794	1.60	1.28-2.01	<0.001	1.33	1.00-1.78	0.054
Mmelanoma	153	0.87	0.48-1.58	0.638	1.00	0.54-1.85	0.988
Lung	693	1.23	0.91-1.66	0.181	1.35	0.98-1.87	0.066
Upper gastrointestinal	294	1.62	1.12-2.35	0.010	1.85	1.24-2.77	0.003
Bowel	274	0.78	0.48-1.27	0.326	0.83	0.50-1.38	0.474
Head and neck	254	1.49	0.99-2.23	0.056	1.64	1.08-2.49	0.020
Sarcoma	211	0.93	0.56-1.55	0.793	0.95	0.57-1.59	0.852
Other	534	1.04	0.74-1.47	0.806	1.05	0.74-1.49	0.788
Treatment intent (ref: adjuvant treatment)	1597						
Curative treatment	916	1.03	0.81-1.32	0.793	1.32	0.99-1.74	0.056
Palliative treatment	649	0.96	0.72-1.26	0.750	1.32	0.97-1.79	0.077
Follow-up program	2270	0.81	0.67-0.99	0.042	0.61	0.42-0.88	0.008
Treatment (ref: no treatment)	2554						
Chemotherapy	630	0.95	0.72-1.26	0.741	0.47	0.31-0.73	0.001
Radiation therapy	380	1.06	0.76-1.49	0.719	0.60	0.37-0.95	0.031
Immune therapy	281	0.77	0.50-1.18	0.232	0.46	0.27-0.80	0.006
Hormone therapy	576	1.32	1.01-1.71	0.040	0.69	0.45-1.05	0.085

Other	996	1.23	0.99-1.54	0.061	0.68	0.46-0.99	0.048
-------	-----	------	-----------	-------	-------------	------------------	--------------

$R^2 = 0.020$ *

*) Adjusted for variables statistically significant at Step 1: Sex, age, long education

Step 3: Health behaviors and physical function

Smoking (ref: never smoked)	2024						
Current smoker	553	0.83	0.61-1.12	0.242	0.98	0.76-1.26	0.871
Former smoker	2686	0.99	0.83-1.18	0.924	0.88	0.59-1.33	0.549
Drinking (ref: no drinking)	1121						
less than before COVID-19	1023	0.87	0.69-1.12	0.291	0.93	0.65-1.33	0.689
unchanged	2848	0.62	0.51-0.77	<0.001	0.92	0.68-1.23	0.560
more than before COVID-19	271	0.91	0.62-1-.33	0.628	1.62	0.94-2.77	0.080
Diet (ref: unchanged junk food)	4305						
more junk food	472	1.49	1.15-1.94	0.003	1.17	0.76-1.79	0.483
more healthy eating	483	1.32	1.01-1.73	0.043	1.11	0.73-1.69	0.611
Activity (ref: only if necessary)	580						
light physical activity	3672	0.67	0.53-0.85	0.001	0.91	0.62-1.31	0.601
physical activity	1011	0.70	0.52-0.93	0.015	0.86	0.54-1.38	0.538
Physical Function	5371	0.97	0.96-0.98	<0.001	0.95	0.94-0.97	<0.0001

$R^2 = 0.035$ **

**) Adjusted for variables statistically significant at step 2: Sex, age, follow-up patients, treatment (ref: no treatment or hormone treatment)

Step 4: Psychological and physical symptoms

Perceived stress	5371	1.19	1.16-1.22	<0.001	1.04	0.99-1.09	0.114
Depression	5371	1.11	1.09-1.13	<0.001	1.04	0.99-1.08	0.086
Anxiety	5371	1.11	1.09-1.12	<0.001	1.01	0.97-1.06	0.564
Fear of SARS-CoV-2 infection	5371	1.05	1.04-1.07	<0.001	0.99	0.97-1.01	0.385
Fear of cancer recurrence/progression	5371	1.06	1.05-1.07	<0.001	1.02	1.00-1.04	0.012
Tiredness	5371	1.09	1.07-1.10	<0.001	1.00	0.97-1.03	0.779
Pain	5371	1.07	1.06-1.09	<0.001	1.03	1.01-1.05	0.009

$R^2 = 0.064$ ***

***) Adjusted for variables statistically significant at step 3: Sex, age, follow-up patients, physical function, treatment (ref: no treatment or hormone treatment)

Step 5: Social support

Emotional	5371	0.96	0.94-0.98	<0.001	0.99	0.94-1.05	0.802
Informative	5371	0.96	0.94-0.97	<0.001	1.01	0.96-1.06	0.687
Instrumental	5371	0.96	0.95-0.98	<0.001	0.97	0.94-1.01	0.147
Social isolation	5371	1.12	1.10-1.14	<0.001	1.06	1.03-1.10	<0.001

$R^2 = 0.061$ ****

****) Adjusted for variables statistically significant at step 4: Sex, age, follow-up patients, pain, treatment (ref.: no treatment or hormone treatment), fear of cancer recurrence/progression