Table SI. Inclusion Criteria—Diagnosis Codes

	Inclusion criteria—diagnosis codes			
Stroke-related	ICD-10-CM Codes (2015-present) used alone:			
spasticity – upper limb	I69.03 (all) Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage			
	I69.05 (all) Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage			
	I69.06 (all) Other paralytic syndrome following nontraumatic subarachnoid hemorrhage			
	I69.13 (all) Monoplegia of upper limb following nontraumatic intracerebral hemorrhage			
	I69.15 (all) Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage			
	I69.16 (all) Other paralytic syndrome following nontraumatic intracerebral hemorrhage			
	I69.23 (all) Monoplegia of upper limb following other nontraumatic intracranial hemorrhage			
	I69.25 (all) Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage			
	I69.26 (all) Other paralytic syndrome following other nontraumatic intracranial hemorrhage			
	I69.33 (all) Monoplegia of upper limb following cerebral infarction			
	I69.35 (all) Hemiplegia and hemiparesis following cerebral infarction			
	I69.36 (all) Other paralytic syndrome following cerebral infarction			
	I69.831 – I69.834, I69.839 Monoplegia of upper limb following other cerebrovascular disease			
	I69.851 – I69.854, I69.859 Hemiplegia and hemiparesis following other cerebrovascular disease			
	I69.861 – I69.865, I69.869 Other paralytic syndrome following other cerebrovascular disease			
	I69.931 – I69.934, I69.939 Monoplegia of upper limb following unspecified cerebrovascular disease			
	I69.951 – I69.954, I69.959 Hemiplegia and hemiparesis following unspecified cerebrovascular			
	disease			
	I69.961 – I69.965, I69.969 Other paralytic syndrome following unspecified cerebrovascular disease			
	ICD-9-CM Codes (2010-2014) used alone:			
	342.10 Spastic hemiplegia, affecting unspecified side			
	342.11 Spastic hemiplegia, affecting dominant side			
	342.12 Spastic hemiplegia, affecting nondominant side			
	344.00 Other paralytic syndromes; quadriplegia, unspecified			
	344.01 Other paralytic syndromes; quadriplegia and quadriparesis; C1-C4, complete			
	344.02 Other paralytic syndromes; quadriplegia and quadriparesis; C1-C4, incomplete			
	344.03 Other paralytic syndromes; quadriplegia and quadriparesis; C5-C7, complete			
	344.04 Other paralytic syndromes; quadriplegia and quadriparesis; C5-C7, incomplete			
	344.09 Other paralytic syndromes; quadriplegia and quadriparesis; other			
	344.2 Other paralytic syndromes; diplegia of upper limbs			
	344.40 Other paralytic syndromes; monoplegia of upper limb affecting unspecified side			
	344.41 Other paralytic syndromes; monoplegia of upper limb affecting dominant side			
	344.42 Other paralytic syndromes; monoplegia of upper limb affecting nondominant side			
	344.5 Other paralytic syndromes; unspecified monoplegia			
	344.89 Other paralytic syndromes; other specified paralytic syndromes; other specified paralytic			
	syndrome			
	344.9 Other paralytic syndromes; paralysis unspecified			
	438.20 Late effects of cerebrovascular disease; hemiplegia affecting unspecified side			
	438.21 Late effects of cerebrovascular disease; hemiplegia affecting dominant side			
	438.22 Late effects of cerebrovascular disease; hemiplegia affecting nondominant side			
	438.30 Late effects of cerebrovascular disease; monoplegia of upper limb affecting unspecified side			

	438.31 Late effects of cerebrovascular disease; monoplegia of upper limb affecting dominant side					
	438.32 Late effects of cerebrovascular disease; monoplegia of upper limb affecting nondominant					
	side					
Stroke-related	ICD-10-CM Codes (2015-present) used alone:					
spasticity – lower limb	I69.041 – I69.044, I69.049 Monoplegia of lower limb following nontraumatic subarachnoid					
	hemorrhage					
	I69.051 – I69.054, I69.059 Hemiplegia and hemiparesis following nontraumatic subarachnoid					
	hemorrhage					
	169.061 – 169.065, 169.069 Other paralytic syndrome following nontraumatic subarachnoid					
	hemorrhage					
	I69.141 – I69.144, I69.149 Monoplegia of lower limb following nontraumatic intracerebral					
	hemorrhage					
	I69.151 – I69.154, I69.159 Hemiplegia and hemiparesis following nontraumatic intracerebral					
	hemorrhage					
	I69.161 – I69.165, I69.169 Other paralytic syndrome following nontraumatic intracerebral					
	hemorrhage					
	I69.241 – I69.244, I69.249 Monoplegia of lower limb following other nontraumatic intracranial					
	hemorrhage					
	I69.251 – I69.254, I69.259 Hemiplegia and hemiparesis following other nontraumatic intracranial					
	hemorrhage					
	I69.261 – I69.265, I69.269 Other paralytic syndrome following other nontraumatic intracranial					
	hemorrhage					
	I69.341 – I69.344, I69.349 Monoplegia of lower limb following cerebral infarction					
	I69.351 – I69.354, I69.359 Hemiplegia and hemiparesis following cerebral infarction					
	I69.361 – I69.365, I69.369 Other paralytic syndrome following cerebral infarction					
	I69.841 – I69.844, I69.849 Monoplegia of lower limb following other cerebrovascular disease					
	I69.851 – I69.854, I69.859 Hemiplegia and hemiparesis following other cerebrovascular disease					
	I69.861 – I69.865, I69.869 Other paralytic syndrome following other cerebrovascular disease					
	I69.941 – I69.944, I69.949 Monoplegia of lower limb following unspecified cerebrovascular disease					
	169.951 – 169.954, 169.959 Hemiplegia and hemiparesis following unspecified cerebrovascular					
	disease					
	I69.961 – I69.965, I69.969 Other paralytic syndrome following unspecified cerebrovascular disease					
Stroke-related	ICD-10-CM Codes (2015-present) that require a diagnosis of stroke:					
spasticity – upper limb	*It is assumed that the qualifying stroke documented within 12 months prior to stroke-related					
requiring a diagnosis	spasticity claim satisfies these criteria. Patients for whom there is no qualifying stroke diagnosis prior					
of stroke	to, or concurrent with, one of the following spasticity diagnosis claims will be excluded from the study.					
	G81.10 – G81.14 Spastic hemiplegia					
	G82.50 – G82.54 Quadriplegia					
	G83.0 Diplegia of upper limbs					
	G83.20 – G83.24 Monoplegia of upper limb					
	G83.30 – G83.34 Monoplegia, unspecified					
	G83.89 Other specified paralytic syndromes					
	G83.9 Paralytic syndrome, unspecified					
	S06.9X0S – S06.9X5S, S06.9X9S Unspecified intracranial injury, sequela					
	ICD-10-CM Codes (2015-present) that require a diagnosis of stroke:					
	<u> </u>					

Stroke-related	*It is assumed that the qualifying stroke documented within 12 months prior to stroke-related					
spasticity – lower limb	spasticity claim satisfies these criteria. Patients for whom there is no qualifying stroke diagnosis prior					
requiring a diagnosis	to, or concurrent with, one of the following spasticity diagnosis claims will be excluded from the study.					
of stroke	G81.10 – G81.14 Spastic hemiplegia					
	G82.20 Paraplegia, unspecified					
	G82.21 Paraplegia, complete					
	G82.22 Paraplegia, incomplete					
	G82.50 Quadriplegia, unspecified					
	G82.51 Quadriplegia, C1-C4 complete					
	G82.51 Quadriplegia, C1-C4 complete G82.52 Quadriplegia, C1-C4 incomplete					
	G82.53 Quadriplegia, C5-C7 complete					
	G82.54 Quadriplegia, C5-C7 incomplete					
	G83.10 – G83.14 Monoplegia of lower limb					
	G83.30 – G83.34 Monoplegia, unspecified					
	G83.89 Other specified paralytic syndromes					
	G83.9 Paralytic syndrome, unspecified					
	S06.9X0S – S06.9X5S, S06.9X9S Unspecified intracranial injury, sequela					
Stroke-related	ICD-9-CM Codes (2010-2014) requiring secondary diagnosis from List A:					
spasticity – upper limb	438.50 Late effects of cerebrovascular disease; other paralytic syndrome affecting unspecified side					
requiring a secondary	438.51 Late effects of cerebrovascular disease; other paralytic syndrome affecting dominant side					
diagnosis from	438.52 Late effects of cerebrovascular disease; other paralytic syndrome affecting nondominant side					
specified list	438.53 Late effects of cerebrovascular disease; other paralytic syndrome, bilateral					
	Secondary diagnosis codes (List A):					
	*Must be documented concurrent with, or within 12 months prior to, stroke-related spasticity claim					
	identified on one of the above noted ICD-9-CM codes.					
	344.00 Other paralytic syndromes; quadriplegia, unspecified					
	344.01 Other paralytic syndromes; quadriplegia and quadriparesis; C1-C4, complete					
	344.02 Other paralytic syndromes; quadriplegia and quadriparesis; C1-C4, incomplete					
	344.03 Other paralytic syndromes; quadriplegia and quadriparesis; C5-C7, complete					
	344.04 Other paralytic syndromes; quadriplegia and quadriparesis; C5-C7, incomplete					
	344.09 Other paralytic syndromes; quadriplegia and quadriparesis; other					
	344.2 Other paralytic syndromes; diplegia of upper limbs					
	344.5 Other paralytic syndromes; unspecified monoplegia					
	344.89 Other paralytic syndromes; other specified paralytic syndromes; other specified paralytic					
	syndrome					
	344.9 Other paralytic syndromes; paralysis unspecified					
Diagnosis of stroke	ICD-10-CM Codes (2015-present):					
	I60 (all) Nontraumatic subarachnoid hemorrhage					
	I61 Nontraumatic intracerebral hemorrhage					
	I62 Other and unspecified nontraumatic intracranial hemorrhage					
	I63 Cerebral infarction					
	I67.2 Cerebral atherosclerosis					
	I67.81 Acute cerebrovascular insufficiency					
	I67.82 Cerebral ischemia					
	ICD-9-CM Codes (2010-2014):					

432.9 Intracranial hemorrhage not otherwise specified (NOS)
434.01 Cerebral thrombosis with cerebral infarction
434.11 Cerebral embolism with cerebral infarction
434.90 Cerebral artery occlusion, unspecified without mention of cerebral infarction
435.0 Basilar artery syndrome
435.1 Vertebral artery syndrome
435.2 Subclavian steal syndrome
435.3 Vertebrobasilar artery syndrome
435.8 Other specified transient cerebral ischemia
435.8 Unspecified transient cerebral ischemia
435.91 Cerebral artery occlusion, unspecified with cerebral infarction
436 Acute, but ill-defined, cerebrovascular disease
437.0 Cerebral atherosclerosis
437.1 Other generalized ischemic cerebrovascular disease
437.2 Hypertensive encephalopathy
437.3 Cerebral aneurysm, nonruptured
437.4 Cerebral arteritis
437.8 Other ill-defined cerebrovascular disease
437.9 Unspecified cerebrovascular disease
101.0 Onoposition dolobiovaddalai allodado

Table SII. Service Codes for Other Outpatient Claims

Project	Coding	
Occupational therapy	CPT: 97165, 97166, 19767, 97168 with a diagnosis of spasticity	
	HCPCS: S9129, G0129, G0152, G0158, G0160	
	PT and OT visit claims were required to include primary or secondary ICD-9-CM diagnosis codes for the patients' conditions	
Physical therapy	CPT: 97161, 97162, 97163, 97164 with a diagnosis of spasticity	
	HCPCs: G0151, G0157, G0159, S8990, S9131	
	PT and OT visit claims were required to include primary or secondary ICD-9-CM diagnosis codes for the patients' conditions	
	Other codes that cover both PT and OT:	
	Supervised (untimed) modalities (97010–97028)	
	Constant attendance (one-on-one) modalities (97032–97039, which are billable in 15-minute increments)	
	Therapeutic (one-on-one) procedures (97110–97546)	
	Active wound care management (97597–97606)	
	Tests and measurements (97750–97755)	
	Orthotic and prosthetic management (97760–97762)	

CPT, Current Procedural Technology; HCPCS, Healthcare Common Procedure Coding System; OT, occupational therapy; PT, physical therapy

Table SIII. Cohort attrition

Step	Criteria	Patients, n	% Excluded in Step
1	Include patients diagnosed with stroke-related spasticity at any time during the study period. Earliest qualifying diagnosis date is defined as spasticity onset date.	352,064	_
2	Exclude patients with a spasticity onset date before 1/1/2010	294,054	16
3	Exclude patients with a spasticity diagnosis unrelated to stroke	269,685	8
4	Continuous enrolment ≥1 year before and after initial spasticity diagnosis	85,051	68
5	Exclude patients treated with toxins other than onabotulinumtoxinA	83,574	2
6	Exclude those with prior treatment with onabotulinumtoxinA within 1 year of initial spasticity diagnosis	83,009	1
7	OnabotulinumtoxinA administration between 1/1/2010 and 06/30/2018 (initial administration as index date)	2,696	97
8	Spasticity diagnosis ≤30 days before or after index date and no onabotulinumtoxinA claims for other indications on index date	1,876	30
9	Continuous enrolment ≥1 year before and after index date	1,425	24
10	Aged ≥18 years at index date	1,336	6
11	Exclude those with evidence of contracture ≤1 year pre-index	1,116	16
12	OnabotulinumtoxinA cohort	735	34