

SUPPLEMENTARY REFERENCES

- S1. Ohnhaus EE, Adler R. Methodological problems in the measurement of pain: a comparison between the verbal rating scale and the visual analogue scale. *Pain* 1975; 1: 379–384.
- S2. Kerns RD, Turk DC, Rudy TE. The West Haven-Yale Multi-dimensional Pain Inventory (WHYMPI). *Pain* 1985; 23: 345–356.
- S3. Folstein MF, Folstein SE, McHugh PR. Mini-mental state: a practical method for grading the cognitive state of patients for the clinician. *J Psychiatr Res* 1975; 12: 189–198.
- S4. Bohannon RW, Smith MB. Interrater reliability of a modified Ashworth scale of muscle spasticity. *Phys Ther* 1987; 67: 206–207.
- S5. Fransen J, van Riel PL. Outcome measures in inflammatory rheumatic diseases. *Arthritis Res Ther* 2009; 11: 244.
- S6. Fugl-Meyer AR, Jaasko L, Leyman I, Olsson S, Steglin S. The post-stroke hemiplegic patient: I. A method for evaluation of physical performance. *Scand J Rehabil Med* 1975; 7: 13–31.
- S7. Larsen A, Dale K, Eek M. Radiographic evaluation of rheumatoid arthritis and related conditions by standard reference films. *Acta Radiol Diagn (Stockh)* 1977; 18: 481–491.
- S8. MacKay K, Mack C, Brophy S, Calin A. The Bath Ankylosing Spondylitis Radiology Index (BASRI): a new, validated approach to disease assessment. *Arthritis Rheum* 1998; 41: 2263–2270.
- S9. Stausberg J, Kiefer E. Classification of pressure ulcers: a systematic literature review. *Stud Health Technol Inform* 2009; 146: 511–515.
- S10. Collen FM, Wade DT, Robb GF, Bradshaw CM. The Rivermead Mobility Index: a further development of the Rivermead Motor Assessment. *Int Disabil Stud* 1991; 13: 50–54.
- S11. Mathiowetz V, Weber K, Kashman N, Volland G. Adult norms for the nine-hole peg test of finger dexterity. *Occup Ther J Res* 1985; 5: 24–37.
- S12. Mahoney FI, Barthel DW. Functional evaluation: the Barthel index. *Maryland State Med J* 1965; 14: 61–65.
- S13. Fries JF, Spitz P, Kraines RG, Holman HR. Measurement of patient outcome in arthritis. *Arthritis Rheum* 1980; 23: 137–145.
- S14. Keith RA, Granger CV, Hamilton BB, Sherwin FS. The functional independence measure: a new tool for rehabilitation. *Adv Clin Rehabil* 1987; 1: 6–18.
- S15. Harwood RH, Rogers A, Dickinson E, Ebrahim S. Measuring handicap: the London handicap scale, a new outcome measure for chronic disease. *Qual Health Care* 1994; 3: 11–16.
- S16. Whiteneck GG, Charlifue SW, Gerhart KA, Overholser JD, Richardson GN. Quantifying handicap: a new measure of long-term rehabilitation outcomes. *Arch Phys Med Rehabil*. 1992; 73: 519–526.
- S17. Cardol M, de Haan RJ, van den Bos GA, de Jong BA, de Groot IJ. The development of a handicap assessment questionnaire: the Impact on Participation and Autonomy (IPA). *Clin Rehabil* 1999; 13: 411–419.
- S18. Ostir GV, Granger CV, Black T, Roberts P, Burgos L, Martinkewicz P, et al. Preliminary results for the PAR-PRO: a measure of home and community participation. *Arch Phys Med Rehabil* 2006; 87: 1043–1051.
- S19. WHOQoL Group: Study protocol for the World Health Organization project to develop a Quality of Life assessment instrument (WHOQOL). *Qual Life Res* 1993; 2: 153–159.
- S20. Flanagan J. A research approach to improving our quality of life. *Am Psychologist* 1978; 33: 138–147.
- S21. Ware JE, Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Med Care* 1992; 30: 473–483.
- S22. Hunt SM, McEwen J, McKenna SP. Measuring health status: a new tool for clinicians and epidemiologists. *J R Coll Gen Pract* 1985; 35: 185–188.
- S23. Brazier J, Jones N, Kind P. Testing the validity of the Euroqol and comparing it with the SF-36 health survey questionnaire. *Qual Life Res* 1993; 2: 169–180.
- S24. Burckhardt CS, Clark SR, Bennett RM. The fibromyalgia impact questionnaire: development and validation. *J Rheumatol* 1991; 18: 728–733.
- S25. Ruta DA, Garratt AM, Leng M, Russell IT, MacDonald LM. A new approach to the measurement of quality of life: the Patient-Generated Index. *Med Care* 1994; 32: 1109–1126.
- S26. O'Boyle CA, McGee H, Hickey A, O'Malley K, Joyce CR. Individual quality of life in patients undergoing hip replacement. *Lancet* 1992; 339: 1088–1091.
- S27. Edwards M. The levels of reliability and validity of the Waterlow pressure sore risk calculator. *J Wound Care* 1995; 4: 373–378.
- S28. Goodglass H, Kaplan E. The assessment of aphasia and related disorders. Philadelphia: Lea and Febiger; 1972.
- S29. American Spinal Injury Association and International Medical Society of Paraplegia (eds). International Standards for Neurological Classification of Spinal Cord Injury, revised 2000, reprinted 2002. Chicago: American Spinal Injury Association; 2002.
- S30. Beck AT, Ward CH, Mendelson M, Mock J, Erbaugh J. An inventory for measuring depression. *Arch Gen Psychiatry* 1961; 4: 561–571.
- S31. Holbrook M, Skilbeck CE. An activities index for use with stroke patients. *Age Ageing* 1983; 12: 166–170.
- S32. Nouri FM, Lincoln NB. An extended activities of daily living scale for stroke patients. *Clin Rehabil* 1987; 1: 301–305.
- S33. Alavi NM, Aliakbarzadeh Z, Sharifi K. Depression, anxiety, activities of daily living, and quality of life scores in patients undergoing renal replacement therapies. *Transplant Proc* 2009; 41: 3693–3696.
- S34. Moseley AM, Lanzarone S, Bosman JM, van Loo MA, de Bie RA, Hassett L, et al. Ecological validity of walking speed assessment after traumatic brain injury: a pilot study. *J Head Trauma Rehabil* 2004; 19: 341–348.
- S35. Berg KO, Wood-Dauphinee SL, Williams JJ, Maki B. Measuring balance in the elderly: validation of an instrument. *Can J Public Health* 1992; 83 Suppl 2: S7–S11.
- S36. Benavante A, Palazon R, Tamayo R, Moran E, Alaejos J, Alcaraz A. Assessment of disability in spinal cord injury. *Disabil Rehabil* 2003; 25: 1065–1070.
- S37. Charlifue S, Lammertse DP, Adkins RH. Aging with spinal cord injury: changes in selected health indices and life satisfaction. *Arch Phys Med Rehabil* 2004; 85: 1848–1853.
- S38. Scott DL, Garrood T. Quality of life measures: use and abuse. *Bailliere's Clin Rheumatol* 2000; 14: 663–687.
- S39. Beaton DE, Bombardier C, Guillemin F, Ferraz MB. Guidelines for the process of cross-cultural adaptation of self-report measures. *Spine* 2000; 25: 3186–3191.
- S40. Wild D, Grove A, Martin M, Eremenco S, McElroy S, Verjee-Lorenz A, et al; ISPOR Task Force for Translation and Cultural Adaptation. Principles of good practice for the translation and cultural adaptation process for patient-reported outcomes (PRO) measures: report of the ISPOR Task Force for Translation and Cultural Adaptation. *Value Health* 2005; 8: 94–104.
- S41. Boers M, Brooks P, Simon LS, Strand V, Tugwell P. OMER-ACT: an international initiative to improve outcome measurement in rheumatology. *Clin Exp Rheumatol* 2005; 23 Suppl 39: S10–S13.
- S42. Gladman DD, Mease PJ, Krueger G, van der Heide DM, Antoni C, Helliwell PS, et al. Outcome measures in psoriatic arthritis. *J Rheumatol* 2005; 32: 2262–2269.
- S43. Schumacher HR Jr, Edwards LN, Perez-Ruiz F, Becker M, Chen LX, Furst DE, et al; OMERACT 7 Special Interest Group. Outcome measures for acute and chronic gout. *J Rheumatol* 2005; 32: 2452–2455.
- S44. Choy EH, Arnold LM, Clauw DJ, Crofford LJ, Glass JM, Simon LS, et al. Content and criterion validity of the preliminary core dataset for clinical trials in fibromyalgia syndrome. *J Rheumatol*

- 2009; 36: 2330–2334.
- S45. Xie F, Lo NN, Lee HP, Cieza A, Li SC. Validation of the International Classification of Functioning, Disability, and Health (ICF) Brief Core Set for osteoarthritis. *Scand J Rheumatol* 2008; 37: 450–461.
- S46. Grill E, Ewert T, Chatterji S, Kostanjsek N, Stucki G. ICF Core Set: development for the acute hospital and early post-acute rehabilitation facilities. *Disabil Rehabil* 2005; 27: 361–366.
- S47. Grill E, Stucki G, Scheuringer M, Melvin J. Validation of International Classification of Functioning, Disability, and Health (ICF) Core Sets for early postacute rehabilitation facilities: comparisons with three other functional measures. *Am J Phys Med Rehabil* 2006; 85: 640–649.
- S48. Rauch A, Cieza A, Stucki G. How to apply International Classification of Functioning, Disability, and Health (ICF) for rehabilitation management in clinical practice. *Eur J Phys Rehabil Med* 2008; 44: 329–342.
- S49. Cochrane.org [homepage on the internet]. London: The Cochrane Collaboration; 1993. Available from: <http://www.cochrane.org/cochrane-reviews>.
- S50. Teasdale G, Jennett B. Assessment of coma and impaired consciousness. A practical scale. *Lancet* 1974; 2: 81–84.
- S51. Kiernan RJ, Mueller J, Langston JW, Van Dyke C. The Neurobehavioral Cognitive Status Examination: a brief but quantitative approach to cognitive assessment. *Ann Intern Med* 1987; 107: 481–485.
- S52. Wilson B, Cockburn J, Baddeley A, Hiorns R. The development and validation of a test battery for detecting and monitoring everyday memory problems. *J Clin Exp Neuropsychol* 1989; 11: 855–870.
- S53. Wilson B, Cockburn J, Halligan P. Development of a behavioral test of visuospatial neglect. *Arch Phys Med Rehabil* 1987; 68: 98–102.
- S54. Brown GT, Rodger S, Davis A. Motor-free visual perception test – revisited: an overview and critique. *Br J Occup Ther* 2003; 66: 159–167.
- S55. Zigmond AS, Snaith RP. The Hospital Anxiety and Depression Scale. *Acta Psychiatr Scand* 1983; 67: 361–370.
- S56. Brunnstrom S. Motor testing procedures in hemiplegia: based on sequential recovery stages. *Phys Ther* 1966; 46: 357–375.
- S57. Brott T, Adams HP, Olinger CP, Marler JR, Barsan WG, Biller J, et al. Measurements of acute cerebral infarction: a clinical examination scale. *Stroke* 1989; 20: 864–870.
- S58. Cote R, Battista RN, Wolfson C, Boucher J, Adam J, Hachinski V. The Canadian Neurological Scale: validation and reliability assessment. *Neurology* 1989; 39: 638–643.
- S59. Podsiadlo D, Richardson S. The timed “Up & Go”: a test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc* 1991; 39: 142–148.
- S60. World Health Organization Disability Assessment Schedule II (WHODAS II) [homepage on the Internet]. 2001[updated 2001 Nov 27]. Available from: <http://www.who.int/icidh/whodas/>.
- S61. Duncan PW, Wallace D, Lai SM, Johnson D, Embretson S, Laster LJ. The stroke impact scale version 2.0. Evaluation of reliability, validity, and sensitivity to change. *Stroke* 1999; 30: 2131–2140.
- S62. Williams LS, Weinberger M, Harris LE, Clark DO, Biller J. Development of a stroke-specific quality of life scale. *Stroke* 1999; 30: 1362–1369.
- S63. van Straten A, de Haan RJ, Limburg M, Schuling J, Bossuyt PM, van den Bos GA. A stroke-adapted 30-item version of the Sickness Impact Profile to assess quality of life (SA-SIP30). *Stroke* 1997; 28: 2155–2161.
- S64. Meenan RF, Mason JH, Anderson JJ, Guccione AA, Kazis LE. AIMS2. The content and properties of a revised and expanded Arthritis Impact Measurement Scales Health Status Questionnaire. *Arthritis Rheum* 1992; 35: 1–10.
- S65. Anderson DL. Development of an instrument to measure pain in rheumatoid arthritis: Rheumatoid Arthritis Pain Scale (RAPAS). *Arthritis Rheum* 2001; 45: 317–323.
- S66. Belza BL, Henke CJ, Yelin EH, Epstein WV, Gilliss CL. Correlates of fatigue in older adults with rheumatoid arthritis. *Nurs Res* 1993; 42: 93–99.
- S67. Hays RD, Martin SA, Sesti AM, Spritzer KL. Psychometric properties of the Medical Outcomes Study Sleep measure. *Sleep Med* 2005; 6: 41–44.
- S68. Sharp JT, Young DY, Bluhm GB, Brook A, Brower AC, Corbett M, et al. How many joints in the hands and wrists should be included in a score of radiologic abnormalities used to assess rheumatoid arthritis? *Arthritis Rheum* 1985; 28: 1326–1335.
- S69. Prevoo ML, van ‘t Hof MA, Kuper HH, van Leeuwen MA, van de Putte LB, van Riel PL. Modified disease activity scores that include twenty-eight joint counts: development and validation in a prospective longitudinal study of patients with rheumatoid arthritis. *Arthritis Rheum* 1995; 38: 44–48.
- S70. Gilworth G, Chamberlain MA, Harvey A, Woodhouse A, Smith J, Smyth MG, et al. Development of a work instability scale for rheumatoid arthritis. *Arthritis Rheum* 2003; 49: 349–354.
- S71. De Jong Z, Van Der Heijde, McKenna SP, Whalley D. The reliability and construct validity of the RAQoL: a rheumatoid arthritis-specific quality of life instrument. *Br J Rheumatol* 1997; 36: 878–883.
- S72. Stevens SS. On the theory of scales of measurement. *Science* 1946; 103: 677–680.
- S73. Linacre JM. WINSTEPS (Version 3.68) [Computer Software]. Beaverton, Oregon: Winsteps.com; 2009.
- S74. Andrich D, Lyne A, Sheridan B, Luo G. RUMM 2030. Perth: RUMM Laboratory; 2009.