

Supplementary material has been published as submitted. It has not been copyedited, typeset or checked for scientific content by Journal of Rehabilitation Medicine

**Table SI.** Type of surgery and type of rehabilitation post-surgery

Surgery		Rehabilitation	
<b>Side of neurotomy, n</b>		<b>Place, n</b>	
Left	21	home	1
Right	23	physiotherapist's office	12
		Hospital day care	2
		Full hospitalisation	8
<b>Tenotomy, (Left, right or both), n</b>		<b>Duration, n</b>	
Yes	6	< 1 month	2
No	17	1 to 3 months	11
		> 3months	9
		Not reported	1
<b>Other neurotomy, n</b>		<b>Intensity, n</b>	
Yes	1	1 per week	0
No	22	2 or 3 per week	12
		> 3 per week	11

**Table SII.** GAS-Score, Unexpected effects and global satisfaction

	Patient	GAS score				Goals achieved	Unexpected effects (subjective assessment)	Global satisfaction
		Main goal		Other goals				
No Walker	P2	Transfer	2	Intimacy Posture	2 0	100%		Ø
	P21	Intimacy	0	Transfer	-1	50%	+ + ↘ Clonus in left lower limb ↗ Dressing	60%
	P23	Intimacy	1	Transfer	2	100%		100%
Walker	P3	Intimacy	2	Fluidity	-1	50%		100%
	P4	IFC	2	WP Intimacy Transfer Dressing	0 0 1 1	100%	+ + + + + + ↘ IKC (60%) ↘ Toe drag (50%) ↗ Intimacy hygiene (90%) ↗ Posture in the chair (90%) Stairs without human assistance	70%
	P5	IKC	0			100%	+ + + ↗ Fluidity (40%) ↗ WP ↗ Intimacy hygiene (50%)	Ø
	P6	Pain	-2	Intimacy	-2	0%	+ Withdrawal of abduction pad in chair	100%
	P7	IKC	2	WP	0	100%	+ + + + + Only 1 cane for short distance ↗ Posture in chair (80%) ↗ Aesthetic (rated at 80%) ↘ Low back pain ↗ For sexual intercourse	75%
	P9	Ø		IKC Intimacy Transfer Dressing	0 -1 0 -1	50%		80%
	P10	IKC	2	WP	0	100%	+ + + + + ↘ Toe drag ↘ Pain (100%) ↗ Putting on socks/shoes ↘ IFC ↗ Intimacy hygiene (85%)	100%
	P11	IKC	0			100%	+ ↗ Intimacy hygiene (60%)	60%
	P12	IFC	-2	Intimacy Posture	-2 -2	0%	+ ↗ Dressing	0%
	P13	IKC	0	Intimacy Transfer Posture	2 2 2	100%	+ - ↗ Fluidity Difficulty getting out of bed	Ø
	P15	IFC	1	IKC	2	100%	+ + ↘ IFC ↗ Fluidity (30%)	70%
	P16	Intimacy	0	Transfer Posture Dressing	-2 -2 0	50%	+ ↗ Dressing	80%
	P17	Toe drag	0	IKC Pain Posture	0 0 0	100%		Ø
	P18	IKC	0	Pain	0	100%	+ ↘ Toe drag with ↘ falls	80%
	P19	Intimacy	-3	IKC Transfer	-2 -2	0%	+ ↘ Falls	50%
	P20	IKC	-1	Fluidity WP	-1 -2	0%		50%
	P22	IKC	1			100%		Ø
	P24	IFC	0	Fluidity	2	100%		Ø
	P25	IFC	2	IKC Posture	0 0	100%	+ ↗ Transfer into car	70%
	P26	IFC	-2			0%		Ø

IFC: inter-feet contact; IKC: inter-knee contact; WP: walking perimeter.

“+” indicates an unexpected beneficial effect, while the “-” indicates a harmful effect. “Ø” represents missing data.