

Supplementary Tables

Table SI. Participation and health-related quality of life outcomes 5 years after perimesencephalic subarachnoid haemorrhage (PM-SAH)

Questionnaire	Total group (n = 46)	Fatigued FSS ≥ 4, (n = 15)	Non-fatigued FSS < 4, (n = 31)	p-value
USER-P Frequency, mean (SD)	38.5 (9.0)	32.7 (7.6)	41.3 (8.3)	0.001*
USER-P Restrictions, mean (SD)	94.6 (9.1)	86.6 (11.0)	98.5 (4.4)	<0.001*
USER-P Restricted, n (%)	18 (39.1)	13 (86.7)	5 (16.1)	<0.001*
USER-P Satisfaction, mean (SD)	79.2 (15.1)	65.3 (13.4)	85.9 (10.8)	<0.001*
SS-QoL-12 Total, mean (SD)	4.6 (0.6)	4.0 (0.6)	4.9 (0.1)	<0.001*
SS-QoL-12 Physical, mean (SD)	4.8 (0.4)	4.4 (0.4)	5.0 (0.1)	<0.001*
SS-QoL-12 Psychosocial, mean (SD)	4.4 (0.8)	3.5 (0.9)	4.8 (0.2)	<0.001*

*Significant values after Bonferroni correction, $p = 0.05/7 = 0.007$.

USER-P Frequency, Restrictions, Satisfaction range 0-100. SS-QoL-12 Total, Physical and Psychosocial range 1-5.

USER-P: Utrecht Scale for Evaluation of Rehabilitation-Participation; SS-QoL-12: Stroke Specific Quality of Life-12; FSS: Fatigue Severity Scale.

USER-P and SS-QoL-12 higher score means better condition.

Table SII. Univariate and multivariate logistic regression analyses Utrecht Scale for Evaluation of Rehabilitation-Participation (USER-P Restricted)

Variables	Univariate				Multivariate			
	B	p-value	OR	95% CI	B	p-value	OR	95% CI
Age at onset, per year	-0.023	0.490	0.977	0.916–1.043				
Sex, men vs women	-0.524	0.401	0.592	0.174–2.010				
Partner, yes vs no	-1.609	0.075	0.200	0.034–1.174				
Education, per year	-0.090	0.288	0.914	0.774–1.079				
Pre-SAH employment status, employed vs unemployed	0.511	0.506	1.667	0.370–7.515				
Hypertension, yes vs no	1.569	0.029	4.800	1.173–19.637	3.991	0.022	54.136	1.797–1630.903
FSS	1.366	0.000	3.918	1.824–8.414	1.409	0.018	4.092	1.267–13.124
HADS Depression	0.309	0.003	1.362	1.109–1.672	–	NS	–	–
HADS Anxiety	0.338	0.004	1.403	1.117–1.762	0.503	0.033	1.654	1.042–2.624
CISS Task-Oriented	-0.030	0.357	0.970	0.910–1.035				
CISS Emotion-Oriented	0.028	0.295	1.029	0.976–1.084				
CISS Avoidant	0.008	0.796	1.008	0.946–1.075				
CIRS	0.316	0.030	1.372	1.031–1.825	-0.456	0.100	0.634	0.368–1.092

SAH: subarachnoid haemorrhage; FSS: Fatigue Severity Scale; HADS: Hospital Anxiety and Depression Scale; CISS: Coping Inventory for Stressful Situations; CIRS: Cumulative Illness Rating Scale; OR: odds ratio; 95% CI: 95% confidence interval.